

AW in NP Unteres Odertal/Germany


F. Tanneberger (Greifswald University), Jochen Haferland (NP Unteres Odertal) & Jochen Bellebaum (Institute of Applied Ecology)








Location of NP Unteres Odertal



TO BE CITED ONLY AFTER CONSULTATION WITH THE AUTHOR!











Conservation status: Population trend













Conservation status: Threats

Habitat loss due to

- succession after abandonment
- unsuitable water regime
- infrastructure projects
- NP core area designation

Nest loss due to


intensive mowing/grazing







Conservation status: Threats











Monitoring activities

- Monitoring since 1966 by local NGOs/individuals
- currently supported by rangers from NP
- search for singing males, females found accidentally (except 2006: flight distance studied)









Conservation activities

- Protection of current breeding sites (delay, but safeguarding of mowing/grazing) and restoration of abandoned breeding sites using agri-environmental schemes
 - Art. 16 VO (EG) 1257/1999 (EU co-funded)
 - "Kulturlandschaftsprogramm Brandenburg" (EU co-funded)
 - Nature conservation contracts with farmers
- Support of research into key habitat factors and restoration potential









Achievements

▶ AW not (yet) extinct in Germany!









Challenges

- Securing monitoring 2007 onwards
- Securing appropriate management by raising additional funds eg from local industries (first contacts made)
- Incorporation of adaequate AW conservation actions into new National Park Plan (developed 2006-2008)
- Implementation of management and restoration recommendations from PhD research





