

III.4 - Ring list

DATE	NET (m)	SITE	SPECIES	RING NO.	HOUR	ACT ION	AGE	SEX	WING	WEIGHT	ADIP	CEN- TRE	RESPONS. RINGER
22.01.07	108	4	ACRARU	SC96301	0930	B	+1A		94,0	25,7	1	FRP	BENEDIKT
22.01.07	84	5	ACRBAE	5511009	0730	B	+1A		54,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRBAE	5511023	0900	B	+1A		55,0	10,0	1	FRP	STEPHAN
22.01.07	84	6	ACRBAE	5480082	1800	B	+1A		56,0	9,4	1	FRP	MARTIN
22.01.07	84	6	ACRBAE	5480083	1800	B	+1A		55,0	10,0	1	FRP	MARTIN
22.01.07	84	6	ACRBAE	5480086	1900	B	+1A		53,0	9,0	1	FRP	MARTIN
23.01.07	84	6	ACRBAE	5480089	0830	B	+1A		56,0	8,8	1	FRP	MARTIN
23.01.07	72	6	ACRBAE	5480101	1100	B	+1A		54,0	8,2	2	FRP	MARTIN
23.01.07	72	6	ACRBAE	5480102	1100	B	+1A		53,0	5,7	2	FRP	MARTIN
23.01.07	72	6	ACRBAE	5480103	1100	B	+1A		51,0	5,1	2	FRP	MARTIN
01.02.07	168	12A	ACRBAE	5480287	0800	B	+1A		60,0	8,5	1	FRP	MARTIN
01.02.07	168	12A	ACRBAE	5480318	1730	B	+1A		56,0	8,5	1	FRP	MARTIN
22.01.07	84	2A	ACRBAE	5480062	0900	B	+1A		56,0	0,0	1	FRP	MARTIN
23.01.07	84	6T	ACRBAE	5480098	0930	B	+1A		59,0	9,0	1	FRP	MARTIN
01.02.07	153	11	ACROLA	5475115	0800	B	+1A		64,0	10,6	1	FRP	BENEDIKT
01.02.07	153	11	ACROLA	5475122	0900	B	+1A		63,5	10,5	1	FRP	BENEDIKT
02.02.07	144	11	ACROLA	5475151	1000	B	+1A		64,0	9,5	1	FRP	BENEDIKT
02.02.07	144	11	ACROLA	5475152	1000	B	+1A		61,5	10,0	1	FRP	BENEDIKT
08.02.07	146	11	ACROLA	5475241	0930	B	+1A		65,0	11,6	2	FRP	OSKARS
27.01.07	180	10A	ACROLA	5464116	0800	B	+1A		63,5	10,7	1	FRP	JULIO
25.01.07	12	10B	ACROLA	5464101	1730	B	+1A		64,0	11,7	1	FRP	JULIO
25.01.07	12	10B	ACROLA	5464102	1800	B	+1A		64,0	10,7	2	FRP	JULIO
25.01.07	12	10B	ACROLA	5464104	1830	B	+1A		64,0	11,3	2	FRP	JULIO
28.01.07	12	10B	ACROLA	5464156	1000	B	+1A		65,0	10,0	1	FRP	ANGELA
28.01.07	12	10B	ACROLA	5464157	1000	B	+1A		64,5	10,0	1	FRP	ANGELA
28.01.07	12	10B	ACROLA	5464158	1000	B	+1A		64,0	11,0	1	FRP	ANGELA
28.01.07	12	10B	ACROLA	5464180	1730	B	+1A		61,0	11,2	2	FRP	MARTIN
28.01.07	12	10B	ACROLA	5464181	1730	B	+1A		63,0	10,5	1	FRP	MARTIN
28.01.07	12	10B	ACROLA	5464182	1730	B	+1A		65,5	11,0	2	FRP	MARTIN
28.01.07	12	10B	ACROLA	5464184	1730	B	+1A		64,0	11,0	2	FRP	MARTIN
30.01.07	36	10B	ACROLA	5464192	0830	B	+1A		64,0	10,3	1	FRP	ANATOLY
30.01.07	36	10B	ACROLA	5464194	0930	B	+1A		64,0	10,2	1	FRP	ANATOLY
30.01.07	36	10B	ACROLA	5464208	0930	B	+1A		61,5	10,5	1	FRP	ANATOLY
30.01.07	36	10B	ACROLA	5464209	0930	B	+1A		61,0	9,5	1	FRP	ANATOLY
31.01.07	60	10B	ACROLA	5464245	1030	B	+1A		64,0	10,5	1	FRP	ANGELA
31.01.07	60	10B	ACROLA	5464246	1030	B	+1A		63,0	10,0	1	FRP	ANGELA
31.01.07	60	10B	ACROLA	5464248	1200	B	+1A		62,0	10,5	1	FRP	ANGELA
31.01.07	60	10B	ACROLA	5464249	1200	B	+1A		63,0	10,5	1	FRP	ANGELA
25.01.07	12	10B	ACROLA	5487227	1130	B	+1A		62,5	11,0	1	FRP	JULIO
25.01.07	12	10B	ACROLA	5487228	1130	B	+1A		62,0	10,3	1	FRP	JULIO
25.01.07	12	10B	ACROLA	5487229	1215	B	+1A		65,0	10,8	1	FRP	JULIO
27.01.07	85	10B	ACROLA	5487231	0815	B	+1A		65,5	10,8	1	FRP	JULIO
27.01.07	85	10B	ACROLA	5487233	0845	B	+1A		62,5	10,5	1	FRP	JULIO
27.01.07	85	10B	ACROLA	5487234	0845	B	+1A		63,0	10,7	1	FRP	JULIO
27.01.07	85	10B	ACROLA	5487242	1700	B	+1A	3	60,0	10,7	1	FRP	JULIO
27.01.07	85	10B	ACROLA	5487243	1700	B	+1A	3	63,0	10,7	1	FRP	JULIO

29.01.07	72	10B	ACROLA	5487255	0800	B	+1A	1	61,0	10,3	1	FRP	JULIO
29.01.07	72	10B	ACROLA	5487256	0800	B	+1A	1	63,0	10,4	1	FRP	JULIO
29.01.07	72	10B	ACROLA	5487274	0900	B	+1A	4	61,0	9,4	1	FRP	JULIO
30.01.07	48	10B	ACROLA	5487280	0830	B	+1A		64,0	11,2	1	FRP	JULIO
30.01.07	48	10B	ACROLA	5487282	0930	B	+1A		63,0	10,2	1	FRP	JULIO
30.01.07	48	10B	ACROLA	5487284	1030	B	+1A		61,5	10,7	1	FRP	JULIO
01.02.07	72	10B	ACROLA	5487312	0800	B	+1A		64,0	10,5	1	FRP	JULIO
30.01.07	36	10B	ACROLA	5464158	0830	C	+1A		0,0	10,5	1	FRP	ANATOLY
30.01.07	48	10B	ACROLA	5464184	0830	C	+1A	3	65,0	10,8	1	FRP	JULIO
29.01.07	144	10B	ACROLA	5487229	0900	C	+1A	1	66,0	10,8	1	FRP	JULIO
27.01.07	24	10B	ACROLA	L873457	0730	C	+1A		65,0	11,4	1	ESI	JULIO
01.02.07	168	12A	ACROLA	5480300	0830	B	+1A		64,0	10,1	1	FRP	MARTIN
01.02.07	168	12A	ACROLA	5480319	1830	B	+1A	1	63,0	11,0	2	FRP	MARTIN
01.02.07	156	12B	ACROLA	5464254	0800	B	+1A		63,0	9,5	1	FRP	ANGELA
01.02.07	156	12B	ACROLA	5464255	0800	B	+1A		64,5	10,5	1	FRP	ANGELA
02.02.07	30	12B	ACROLA	5487328	0800	B	+1A	2	60,0	10,7	1	FRP	CARLOS
02.02.07	30	12B	ACROLA	5487330	0800	B	+1A	4	62,0	9,9	1	FRP	CARLOS
02.02.07	30	12B	ACROLA	5487332	0800	B	+1A	4	61,0	10,3	1	FRP	CARLOS
08.02.07	24	12B	ACROLA	5511092	1030	B	+1A		63,5	11,0	1	FRP	ANGELA
25.01.07	200	9A	ACROLA	5475021	0900	B	+1A		66,0	10,8	1	FRP	BENEDIKT
27.01.07	238	9A	ACROLA	5480135	1100	B	+1A		64,0	10,1	1	FRP	MARTIN
27.01.07	238	9A	ACROLA	5480136	1100	B	+1A		65,0	11,4	1	FRP	MARTIN
25.01.07	200	9B	ACROLA	5475036	1115	B	+1A		62,0	10,6	1	FRP	BENEDIKT
26.01.07	216	9B	ACROLA	5475078	0800	B	+1A		63,0	11,1	1	FRP	BENEDIKT
27.01.07	168	9C	ACROLA	5480204	1900	B	+1A		61,5	11,8	2	FRP	MARTIN
28.01.07	168	9C	ACROLA	5480249	1900	B	+1A		63,5	11,5	2	FRP	MARTIN
29.01.07	180	9C	ACROLA	5480204	0800	C	+1A		0,0	10,3	1	FRP	MARTIN
28.01.07	160	9D	ACROLA	5480150	0800	B	+1A		64,0	11,9	1	FRP	BENEDIKT
28.01.07	160	9D	ACROLA	5480150	1030	C	+1A		0,0	10,9	1	FRP	BENEDIKT
18.01.07	24	0	ACRSCH	5487001	1800	B	+1A		0,0	11,4	1	FRP	BENEDIKT
18.01.07	24	0	ACRSCH	5487002	1800	B	+1A		0,0	10,6	1	FRP	BENEDIKT
18.01.07	24	0	ACRSCH	5487003	1800	B	+1A		0,0	11,4	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487004	0900	B	+1A		66,0	9,6	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487005	0900	B	+1A		64,5	10,2	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487007	0930	B	+1A		66,0	10,3	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487008	0930	B	+1A		67,0	9,9	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487009	1030	B	+1A		65,0	9,7	2	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487010	1030	B	+1A		69,0	10,4	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487012	1100	B	+1A		65,0	9,9	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487013	0800	B	+1A		66,5	10,0	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487014	0800	B	+1A		66,5	10,1	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487015	0800	B	+1A		67,5	10,7	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487016	0800	B	+1A		66,5	10,1	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487018	0800	B	+1A		69,0	11,0	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487019	0900	B	+1A		64,5	10,5	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487020	0900	B	+1A		67,5	11,4	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487021	0900	B	+1A		65,0	10,2	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487024	0900	B	+1A		66,0	9,7	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487027	0900	B	+1A		67,0	10,2	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487028	0900	B	+1A		66,0	10,3	1	FRP	BENEDIKT

21.01.07	180	1	ACRSCH	5487029	0900	B	+1A		66,0	9,8	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487030	0900	B	+1A		65,0	9,4	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487031	1030	B	+1A		67,5	11,2	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487033	1030	B	+1A		67,5	11,0	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487038	1200	B	+1A		68,0	10,3	1	FRP	BENEDIKT
20.01.07	108	1	ACRSCH	5487007	1100	C	+1A		0,0	10,2	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487016	1030	C	+1A		0,0	9,8	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCH	5487016	0900	C	+1A		0,0	9,8	1	FRP	BENEDIKT
22.01.07	228	3	ACRSCH	5464078	0900	B	+1A		66,0	9,5	1	FRP	JULIO
22.01.07	228	3	ACRSCH	5464079	1000	B	+1A		66,5	10,5	1	FRP	JULIO
22.01.07	228	3	ACRSCH	5464080	1100	B	+1A		66,0	10,7	1	FRP	JULIO
21.01.07	15	3	ACRSCH	5480009	0800	B	+1A		66,0	10,0	1	FRP	MARTIN
21.01.07	15	3	ACRSCH	5480010	0800	B	+1A		67,0	9,5	1	FRP	MARTIN
21.01.07	15	3	ACRSCH	5480018	1000	B	+1A		68,0	10,0	1	FRP	MARTIN
21.01.07	15	3	ACRSCH	5480018	1100	C	+1A		0,0	10,0	1	FRP	MARTIN
22.01.07	108	4	ACRSCH	5487039	0800	B	+1A		66,5	10,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487040	0800	B	+1A		68,5	10,9	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487042	0800	B	+1A		69,5	10,1	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487043	0800	B	+1A		65,5	10,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487044	0830	B	+1A		63,0	9,5	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487045	0830	B	+1A		62,0	10,2	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487046	0830	B	+1A		62,5	9,1	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487047	0830	B	+1A		65,0	9,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487049	0830	B	+1A		66,0	9,5	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487051	0830	B	+1A		67,0	10,1	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487052	0830	B	+1A		68,0	10,4	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487053	0830	B	+1A		65,5	9,5	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487054	0830	B	+1A		66,0	10,4	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487055	0830	B	+1A		65,0	10,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487058	0830	B	+1A		69,5	10,8	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487059	0830	B	+1A		66,0	9,1	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487060	0830	B	+1A		66,0	9,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487065	0930	B	+1A		66,5	10,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487069	0930	B	+1A		66,0	9,7	1	FRP	BENEDIKT
22.01.07	84	4	ACRSCH	5487074	1900	B	+1A		69,0	11,1	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487076	0730	B	+1A		65,5	9,2		FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487077	0730	B	+1A		66,0	10,1		FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487078	0730	B	+1A		66,5	10,4	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487079	0730	B	+1A		67,0	9,6	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487081	0730	B	+1A		67,0	9,5	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487085	0730	B	+1A		65,0	9,7	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487086	0730	B	+1A		66,0	10,2	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487087	0730	B	+1A		66,5	9,2	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487090	0800	B	+1A		64,0	9,4	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487091	0800	B	+1A		67,5	10,7	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487092	0800	B	+1A		66,5	9,8	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487094	0800	B	+1A		66,0	9,3	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487095	0800	B	+1A		66,5	9,6	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487096	0800	B	+1A		65,5	10,9	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487097	0800	B	+1A		68,0	10,9	2	FRP	BENEDIKT

23.01.07	108	4	ACRSCH	5487098	0800	B	+1A		65,5	10,0	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487099	0800	B	+1A		68,5	10,0	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487100	0800	B	+1A		64,5	9,2	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487102	0800	B	+1A		65,5	10,0	2	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487104	0930	B	+1A		67,0	11,0	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487106	1100	B	+1A		65,0	10,9	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487112	0800	B	+1A		66,0	10,1	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487115	0830	B	+1A		69,0	11,7	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487116	0830	B	+1A		68,5	10,4	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487117	0830	B	+1A		63,0	10,8	2	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487118	0830	B	+1A		64,5	10,2	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487119	0830	B	+1A		66,5	10,3	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487120	0830	B	+1A		63,0	9,1	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487125	0930	B	+1A		64,0	9,8	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487126	0930	B	+1A		68,5	10,5	1	FRP	BENEDIKT
22.01.07	9	4	ACRSCH	5027556	0800	C	+1A		65,5	9,8	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487051	0800	C	+1A		0,0	10,1	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487053	0800	C	+1A		0,0	9,5	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	5487058	0930	C	+1A		0,0	10,9	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487074	0800	C	+1A		0,0	10,6	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487078	0800	C	+1A		0,0	9,8	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487086	0800	C	+1A		0,0	10,3	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCH	5487095	0800	C	+1A		0,0	9,4	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487098	0800	C	+1A		0,0	9,8	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCH	5487098	1000	C	+1A		0,0	9,8	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCH	V342298	0800	C	+1A		64,0	10,2	1	GBT	BENEDIKT
21.01.07	84	5	ACRSCH	5511002	1800	B	+1A		64,0	11,0	1	FRP	STEPHAN
21.01.07	84	5	ACRSCH	5511003	1845	B	+1A		65,0	10,0	1	FRP	STEPHAN
21.01.07	84	5	ACRSCH	5511005	1915	B	+1A		0,0	0,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511008	0730	B	+1A		65,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511010	0800	B	+1A		68,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511012	0800	B	+1A		68,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511013	0800	B	+1A		68,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511015	0800	B	+1A		65,0	12,0	2	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511017	0800	B	+1A		65,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511018	0800	B	+1A		58,0	9,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511020	0800	B	+1A		63,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511022	0900	B	+1A		69,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511025	0900	B	+1A		63,0	9,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511026	0900	B	+1A		64,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511027	0900	B	+1A		65,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511028	1000	B	+1A		67,0	9,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511030	1100	B	+1A		64,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCH	5511032	1800	B	+1A		68,0	10,0	1	FRP	STEPHAN
23.01.07	96	5	ACRSCH	5511034	0730	B	+1A		65,0	10,0	1	FRP	ANGELA
23.01.07	96	5	ACRSCH	5511035	0730	B	+1A		67,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511036	0745	B	+1A		66,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511037	0745	B	+1A		63,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511038	0745	B	+1A		66,0	11,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511039	0815	B	+1A		64,0	10,0	1	FRP	MARTIN

23.01.07	96	5	ACRSCH	5511040	0815	B	+1A		65,0	11,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511041	0815	B	+1A		68,0	11,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511043	0815	B	+1A		63,5	11,0	2	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511044	0815	B	+1A		66,0	11,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511045	0815	B	+1A		65,0	11,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511046	0915	B	+1A		66,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511048	1015	B	+1A		65,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511049	1100	B	+1A		65,0	11,0	2	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511050	1100	B	+1A		65,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511051	1100	B	+1A		65,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511052	1130	B	+1A		65,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511059	0715	B	+1A		66,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511060	0800	B	+1A		69,0	10,5	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511062	0800	B	+1A		66,0	11,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511063	0800	B	+1A		66,0	12,0	2	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511064	0800	B	2A		64,0	11,5	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511065	0800	B	+1A		66,0	11,0	2	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511066	0800	B	+1A		66,0	10,0	2	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511067	0800	B	+1A		65,0	11,5	2	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511069	0800	B	+1A		65,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511070	0900	B	+1A		66,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511072	1015	B	+1A		67,0	10,0	3	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511073	1015	B	+1A		65,0	10,0	2	FRP	ANGELA
24.01.07	120	5	ACRSCH	5511074	1015	B	+1A		67,0	10,0	2	FRP	ANGELA
24.01.07	120	5	ACRSCH	5511075	1015	B	+1A		66,0	9,0	1	FRP	ANGELA
24.01.07	120	5	ACRSCH	5511076	1015	B	+1A		66,0	11,0	2	FRP	ANGELA
24.01.07	120	5	ACRSCH	5511002	0800	C	+1A		0,0	10,5	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511042	0800	C	+1A		0,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCH	5511045	1015	C	+1A		0,0	0,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511052	1015	C	+1A		0,0	9,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCH	5511064	1015	C	+1A		0,0	0,0		FRP	ANGELA
24.01.07	120	5	ACRSCH	R647203	1015	C	+1A		0,0	0,0	3	GBT	ANGELA
22.01.07	84	6	ACRSCH	5480081	1800	B	+1A		60,5	10,0	1	FRP	MARTIN
23.01.07	84	6	ACRSCH	5480091	0830	B	+1A		68,0	10,2	1	FRP	MARTIN
23.01.07	84	6	ACRSCH	5480093	0830	B	+1A		67,0	10,0	1	FRP	MARTIN
23.01.07	84	6	ACRSCH	5480097	0900	B	+1A		63,0	10,0	1	FRP	MARTIN
23.01.07	72	6	ACRSCH	5480104	1730	B	+1A		62,0	10,0	1	FRP	STEFAN
23.01.07	72	6	ACRSCH	5480105	1730	B	+1A		66,0	10,0	1	FRP	STEFAN
23.01.07	72	6	ACRSCH	5480106	1730	B	+1A		64,0	11,5	1	FRP	STEFAN
24.01.07	72	6	ACRSCH	5480108	0900	B	+1A		64,0	9,7	1	FRP	STEFAN
24.01.07	72	6	ACRSCH	5480109	1000	B	+1A		65,0	10,7	1	FRP	STEFAN
23.01.07	84	6	ACRSCH	5511010	0830	C	+1A		68,0	10,2	1	FRP	MARTIN
23.01.07	84	7	ACRSCH	5464082	0715	B	+1A		66,0	11,2	2	FRP	JULIO
23.01.07	84	7	ACRSCH	5464083	0715	B	+1A		67,0	9,8	1	FRP	JULIO
23.01.07	84	7	ACRSCH	5464084	0715	B	+1A		66,0	9,6	1	FRP	JULIO
23.01.07	84	7	ACRSCH	5464085	0715	B	+1A		67,5	11,6	2	FRP	JULIO
23.01.07	84	7	ACRSCH	5464086	0715	B	+1A		69,0	10,3	1	FRP	JULIO
23.01.07	84	7	ACRSCH	5464088	0715	B	+1A		65,0	9,6	1	FRP	JULIO
23.01.07	84	7	ACRSCH	5464093	0715	B	+1A		65,0	9,8	1	FRP	JULIO
23.01.07	84	7	ACRSCH	5464094	1730	B	+1A		66,5	10,7	2	FRP	JULIO

23.01.07	84	7	ACRSCH	5464095	1900	B	+1A		64,0	10,0	2	FRP	JULIO
23.01.07	84	7	ACRSCH	5464096	1900	B	+1A		67,0	12,5	2	FRP	JULIO
24.01.07	84	7	ACRSCH	5464097	0730	B	+1A		66,0	10,5	2	FRP	JULIO
24.01.07	84	7	ACRSCH	5464098	0730	B	+1A		0,0	9,5	1	FRP	JULIO
24.01.07	312	8	ACRSCH	5487138	1830	B	+1A		64,0	10,0	1	FRP	JULIO
24.01.07	312	8	ACRSCH	5487139	1830	B	+1A		62,5	12,8	2	FRP	JULIO
24.01.07	312	8	ACRSCH	5487140	1830	B	+1A		65,5	13,0	3	FRP	JULIO
25.01.07	312	8	ACRSCH	5487146	0730	B	+1A		69,0	10,6	2	FRP	JULIO
25.01.07	312	8	ACRSCH	5487150	0830	B	+1A		67,0	13,6	2	FRP	JULIO
25.01.07	312	8	ACRSCH	5487156	0830	B	+1A		66,0	16,2	3	FRP	JULIO
25.01.07	312	8	ACRSCH	5487157	0830	B	+1A		65,5	9,8	1	FRP	JULIO
25.01.07	312	8	ACRSCH	5487169	0930	B	+1A		65,5	9,4	1	FRP	JULIO
25.01.07	312	8	ACRSCH	5487170	1030	B	+1A		65,0	9,8	1	FRP	JULIO
25.01.07	312	8	ACRSCH	5487171	1030	B	+1A		68,5	9,3	2	FRP	JULIO
25.01.07	312	8	ACRSCH	5487176	1030	B	+1A		65,0	9,9	1	FRP	JULIO
25.01.07	312	8	ACRSCH	5487180	1130	B	+1A		68,0	10,7	1	FRP	JULIO
26.01.07	336	8	ACRSCH	5487200	0730	B	+1A		67,5	10,4	1	FRP	JULIO
25.01.07	312	8	ACRSCH	5487139	0830	C	+1A		0,0	12,0	2	FRP	JULIO
26.01.07	312	8	ACRSCH	5487150	0900	C	+1A		0,0	12,7	2	FRP	JULIO
01.02.07	153	11	ACRSCH	5475104	0800	B	+1A		65,5	10,5	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475105	0800	B	+1A		67,0	12,8	2	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475110	0800	B	+1A		66,5	10,6	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475120	0900	B	+1A		66,5	13,3	3	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475125	1030	B	+1A		68,5	10,0	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475126	1030	B	+1A		66,0	10,3	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475127	1030	B	+1A		62,0	9,1	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475128	1030	B	+1A		65,0	9,7	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475129	1100	B	+1A		69,0	10,6	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475133	1100	B	+1A		69,0	11,3	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475135	1100	B	+1A		68,5	10,1	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475136	1100	B	+1A		65,0	10,2	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475137	1100	B	+1A		67,5	10,3	1	FRP	BENEDIKT
01.02.07	153	11	ACRSCH	5475138	1100	B	+1A		66,0	10,3	1	FRP	BENEDIKT
01.02.07	144	11	ACRSCH	5475140	1830	B	+1A		68,0	11,0	1	FRP	BENEDIKT
02.02.07	144	11	ACRSCH	5475143	0800	B	+1A		69,0	10,2	1	FRP	BENEDIKT
02.02.07	144	11	ACRSCH	5475147	0800	B	+1A		64,0	11,2	2	FRP	BENEDIKT
02.02.07	144	11	ACRSCH	5475148	1000	B	+1A		67,0	10,5	1	FRP	BENEDIKT
02.02.07	144	11	ACRSCH	5475149	1000	B	+1A		66,5	9,5	1	FRP	BENEDIKT
07.02.07	146	11	ACRSCH	5475196	0900	B	+1A		68,0	10,0	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475205	0900	B	+1A		66,0	10,3	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475206	0900	B	+1A		66,0	9,3	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475214	1030	B	+1A		66,0	0,0	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475217	1130	B	+1A	1	69,0	10,0	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475223	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	ACRSCH	5475225	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	ACRSCH	5475226	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	ACRSCH	5475227	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	ACRSCH	5475229	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	ACRSCH	5475230	1900	B	+1A		0,0	0,0		FRP	OSKARS
08.02.07	146	11	ACRSCH	5475232	0830	B	+1A		68,0	15,4	3	FRP	OSKARS

08.02.07	146	11	ACRSCH	5475233	0830	B	+1A		67,0	9,8	1	FRP	OSKARS
08.02.07	146	11	ACRSCH	5475237	0830	B	+1A		67,0	10,3	1	FRP	OSKARS
30.01.07	153	11	ACRSCH	5480191	1145	B	+1A		65,0	10,4	1	FRP	ABDOULAY
30.01.07	153	11	ACRSCH	5480192	1800	B	+1A		68,5	10,4	1	FRP	ABDOULAY
01.02.07	153	11	ACRSCH	5480197	0715	B	+1A		67,0	15,4	3	FRP	BENEDIKT
07.02.07	146	11	ACRSCH	4846771	1000	C	+1A		66,0	9,8	1	FRP	OSKARS
07.02.07	146	11	ACRSCH	5475129	1800	C	+1A		71,0	11,0	1	FRP	OSKARS
06.02.07	180	13	ACRSCH	5480388	0730	B	+1A		66,0	9,8	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480389	0730	B	+1A		68,5	9,2	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480391	0800	B	+1A		67,5	10,6	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480392	0800	B	+1A		61,5	9,6	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480394	0800	B	+1A		63,0	9,2	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480396	0900	B	+1A		67,0	11,0	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480398	0900	B	+1A		67,0	10,0	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480399	0900	B	+1A		63,0	10,4	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480405	1030	B	+1A		66,0	10,8	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480409	1030	B	+1A		68,0	9,1	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480414	1830	B	+1A		66,0	12,5	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480429	0730	B	+1A		67,5	9,5	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480430	0800	B	+1A		66,0	11,1	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480431	0800	B	+1A		67,5	11,5	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480432	0800	B	+1A		66,0	10,3	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480434	0800	B	+1A		68,5	11,2	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480435	0800	B	+1A		69,0	10,6	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480439	0800	B	+1A		67,5	10,5	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480440	0800	B	+1A		66,0	12,0	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480445	1000	B	+1A		66,5	11,1	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480446	1000	B	+1A		66,5	11,2	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480455	1730	B	+1A		64,0	11,4	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480456	1730	B	+1A		66,0	10,9	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480477	0730	B	+1A		62,0	8,7	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480480	0830	B	+1A		66,0	9,5	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480485	0830	B	+1A		64,5	11,8	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480486	0830	B	+1A		67,0	11,8	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480489	0930	B	+1A		61,5	8,4	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480493	0930	B	+1A		60,5	9,5	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5475104	0900	C	+1A		65,0	10,5	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5475161	0830	C	+1A		66,5	10,3	1	FRP	VOLKER
07.02.07	180	13	ACRSCH	5480414	1100	C	+1A		0,0	12,1	1	FRP	VOLKER
06.02.07	180	13	ACRSCH	5480416	1900	C	+1A		0,0	0,0	1	FRP	VOLKER
08.02.07	180	13	ACRSCH	5480456	0830	C	+1A		66,0	10,3	1	FRP	VOLKER
01.02.07	72	15	ACRSCH	5464282	1700	B	+1A		69,0	10,0	1	FRP	JULIO
01.02.07	72	15	ACRSCH	5464283	1900	B	+1A		66,5	11,2	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464285	0830	B	+1A		68,0	10,3	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464286	0830	B	+1A		67,0	9,4	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464287	0830	B	+1A		64,0	9,7	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464288	0830	B	+1A		65,0	9,6	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464289	0830	B	+1A		69,0	10,6	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464295	0930	B	+1A		67,0	10,2	1	FRP	JULIO
02.02.07	72	15	ACRSCH	5464297	1030	B	+1A		64,0	10,3	1	FRP	JULIO

07.02.07	30	16	ACRSCH	5487343	0830	B	+1A		63,0	10,2	1	FRP	CARLOS
07.02.07	30	16	ACRSCH	5487344	0830	B	+1A		64,0	10,2	1	FRP	CARLOS
07.02.07	30	16	ACRSCH	5487345	0830	B	+1A		65,0	9,9	1	FRP	CARLOS
27.01.07	180	10A	ACRSCH	5464114	0800	B	+1A		67,0	10,5	1	FRP	JULIO
27.01.07	180	10A	ACRSCH	5464115	0800	B	+1A		64,5	10,0	1	FRP	JULIO
27.01.07	180	10A	ACRSCH	5464117	0900	B	+1A		66,0	10,0	1	FRP	JULIO
28.01.07	222	10A	ACRSCH	5464152	0900	B	+1A		67,0	9,5	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464153	0900	B	+1A		67,5	10,0	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464154	0900	B	+1A		65,0	10,0	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464161	1000	B	+1A		67,5	10,5	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464163	1000	B	+1A		67,5	11,0	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464164	1000	B	+2A		66,5	10,3	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464168	1030	B	+1A		68,5	9,5	1	FRP	ANGELA
28.01.07	222	10A	ACRSCH	5464174	1130	B	+1A		66,0	10,0	1	FRP	ANGELA
25.01.07	180	10A	ACRSCH	5487194	1930	B	+1A		68,0	10,6	2	FRP	JULIO
27.01.07	180	10A	ACRSCH	5464106	1000	C	+1A		0,0	10,0	1	FRP	JULIO
27.01.07	204	10A	ACRSCH	5464114	1800	C	+1A		0,0	11,5	2	FRP	JULIO
25.01.07	12	10B	ACRSCH	5464105	1900	B	+1A		68,0	10,9	1	FRP	JULIO
25.01.07	12	10B	ACRSCH	5464106	1900	B	+1A		68,0	10,8	1	FRP	JULIO
28.01.07	12	10B	ACRSCH	5464146	0900	B	+1A		68,5	10,0	1	FRP	ANGELA
28.01.07	12	10B	ACRSCH	5464149	0900	B	+1A		66,5	9,5	1	FRP	ANGELA
28.01.07	12	10B	ACRSCH	5464150	0900	B	+1A		67,5	10,0	1	FRP	ANGELA
28.01.07	12	10B	ACRSCH	5464183	1730	B	+2A		63,5	10,2	1	FRP	MARTIN
28.01.07	12	10B	ACRSCH	5464185	1730	B	+1A		64,5	10,5	1	FRP	MARTIN
30.01.07	36	10B	ACRSCH	5464187	0830	B	+1A		65,0	9,5	1	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464189	0830	B	+1A		68,0	11,0	1	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464190	0830	B	+1A		67,0	11,0	2	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464193	0930	B	+1A		67,0	11,5	1	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464195	0930	B	+1A		65,0	10,2	2	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464198	0930	B	+1A		64,0	11,0	2	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464200	0930	B	+1A		65,0	10,8	1	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464201	0930	B	+1A		68,5	12,5	2	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464206	0930	B	+1A		68,0	10,5	1	FRP	ANATOLY
30.01.07	36	10B	ACRSCH	5464207	0930	B	+1A		67,5	10,0	1	FRP	ANATOLY
31.01.07	60	10B	ACRSCH	5464244	1030	B	+1A		65,0	10,5	1	FRP	ANGELA
25.01.07	12	10B	ACRSCH	5487185	1130	B	+1A		65,0	10,1	1	FRP	JULIO
25.01.07	48	10B	ACRSCH	5487199	1930	B	+1A		64,0	10,9	1	FRP	JULIO
27.01.07	85	10B	ACRSCH	5487235	1100	B	+1A		65,0	10,4	2	FRP	JULIO
29.01.07	72	10B	ACRSCH	5487252	0800	B	+1A		68,5	10,0	1	FRP	JULIO
29.01.07	72	10B	ACRSCH	5487253	0800	B	+1A		64,0	10,7	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487275	0830	B	+1A		65,0	11,1	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487277	0830	B	+1A		66,0	11,1	2	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487278	0830	B	+1A		0,0	11,0	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487279	0830	B	+1A		66,0	10,2	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487283	1030	B	+1A		66,0	11,8	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487285	1100	B	+1A		68,5	11,0	1	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487286	1100	B	+1A		65,5	10,0	2	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487287	1100	B	+1A		66,5	10,7	2	FRP	JULIO
30.01.07	48	10B	ACRSCH	5487288	1100	B	+1A		65,5	10,3	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487302	0830	B	+1A		67,5	9,6	1	FRP	JULIO

01.02.07	72	10B	ACRSCH	5487306	0800	B	+1A		67,5	10,7	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487308	0800	B	+1A		67,0	10,0	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487309	0800	B	+1A		63,0	10,0	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487310	0800	B	+1A		65,5	10,5	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487311	0800	B	+1A		69,0	10,5	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487313	0800	B	+1A		68,0	10,0	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487314	0800	B	+1A		64,0	9,8	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487319	0800	B	+1A		67,0	10,4	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487321	0800	B	+1A		65,0	9,7	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487324	1000	B	+1A	1	63,0	11,3	1	FRP	JULIO
01.02.07	72	10B	ACRSCH	5487327	1000	B	+1A		65,5	11,0	2	FRP	JULIO
07.02.07	24	10B	ACRSCH	5511077	0800	B	+1A		66,0	10,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511079	0800	B	+1A		67,0	10,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511080	0800	B	+1A		0,0	0,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511081	0845	B	+1A		66,0	11,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511082	0845	B	+1A		68,5	19,0	4	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511083	0845	B	+1A		64,5	11,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511084	0845	B	+1A		63,5	11,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511086	1130	B	+1A		69,0	11,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511087	1130	B	+1A		0,0	10,0	1	FRP	ANGELA
07.02.07	24	10B	ACRSCH	5511088	1130	B	+1A		67,0	10,0	1	FRP	ANGELA
28.01.07	12	10B	ACRSCH	5464161	1730	C	+1A		0,0	11,3	2	FRP	MARTIN
01.02.07	48	10B	ACRSCH	5464168	0830	C	+1A		67,0	9,3	1	FRP	JULIO
30.01.07	36	10B	ACRSCH	5464183	0830	C	+1A		0,0	9,5	1	FRP	ANATOLY
01.02.07	60	10B	ACRSCH	5464198	0800	C	+1A		0,0	9,9	1	FRP	JULIO
01.02.07	60	10B	ACRSCH	5464244	0800	C	+1A		0,0	10,8	2	FRP	JULIO
01.02.07	60	10B	ACRSCH	5487278	1000	C	+1A		0,0	0,0	1	FRP	JULIO
30.01.07	168	12A	ACRSCH	5480268	1800	B	+1A		65,0	10,2	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480269	1800	B	+1A		66,5	10,7	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480270	1930	B	+1A		66,5	10,7	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480271	1930	B	+1A		66,5	10,5	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480272	1930	B	+1A		67,0	10,7	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480273	1930	B	+1A		65,0	10,3	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480274	1930	B	+1A		67,0	9,7	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480275	1930	B	+1A		69,0	11,4	2	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480276	1930	B	+1A		66,5	10,6	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480278	1930	B	+1A		65,0	11,0	2	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480279	1930	B	+1A		67,5	11,4	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480280	1930	B	+1A		67,5	10,8	1	FRP	MARTIN
30.01.07	168	12A	ACRSCH	5480281	1930	B	+1A		67,0	10,8	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480282	0800	B	+1A		64,5	10,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480283	0800	B	+1A		63,0	8,7	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480284	0800	B	+1A		66,5	10,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480285	0800	B	+1A		65,0	9,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480286	0800	B	+1A		67,0	9,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480293	0830	B	+1A		65,5	10,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480294	0830	B	+1A		64,5	9,7	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480295	0830	B	+1A		64,0	8,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480296	0830	B	+1A		66,5	10,2	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480297	0830	B	+1A		63,0	9,2	1	FRP	MARTIN

01.02.07	168	12A	ACRSCH	5480299	0830	B	+1A		64,0	9,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480301	1000	B	+1A		63,0	8,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480304	1000	B	+1A		65,5	9,4	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480305	1000	B	+1A		65,0	9,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480306	1000	B	+1A		66,5	10,6	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480311	1100	B	+1A		65,5	10,2	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480312	1130	B	+1A		62,0	9,6	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480313	1130	B	+1A		0,0	11,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480314	1130	B	+1A		65,5	9,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480316	1730	B	+1A		65,0	9,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480320	1830	B	+1A		64,0	9,5	1	FRP	MARTIN
02.02.07	168	12A	ACRSCH	5480340	0730	B	+1A		66,5	9,5	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480341	0830	B	+1A		64,0	10,0	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480342	0830	B	+1A		65,5	8,0	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480343	0830	B	+1A		65,5	9,2	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480351	0830	B	+1A		65,0	8,0	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480353	0830	B	+1A		61,5	10,1	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480354	0930	B	+1A		66,0	10,2	1	FRP	VOLKER
02.02.07	168	12A	ACRSCH	5480355	1030	B	+1A		65,0	9,8	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480375	0800	B	+1A		64,5	10,7	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480376	0800	B	+1A		68,5	10,3	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480377	0830	B	+1A		65,5	10,0	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480380	0830	B	+1A		0,0	0,0	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480381	0830	B	+1A		66,0	8,5	1	FRP	VOLKER
30.01.07	168	12A	ACRSCH	5475077	1930	C	+1A		66,5	11,2	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480265	1130	C	+1A		0,0	10,5	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480269	0830	C	+1A		0,0	10,3	1	FRP	MARTIN
02.02.07	168	12A	ACRSCH	5480269	0930	C	+1A		0,0	10,3	1	FRP	VOLKER
01.02.07	168	12A	ACRSCH	5480272	1130	C	+1A		0,0	0,0	1	FRP	MARTIN
02.02.07	168	12A	ACRSCH	5480272	1030	C	+1A		67,0	10,0	1	FRP	VOLKER
01.02.07	168	12A	ACRSCH	5480274	0800	C	+1A		66,5	8,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480274	1130	C	+1A		0,0	10,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480276	0830	C	+1A		0,0	9,2	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480279	0930	C	+1A		0,0	10,0	1	FRP	MARTIN
01.02.07	168	12A	ACRSCH	5480280	0800	C	+1A		0,0	10,0	1	FRP	MARTIN
02.02.07	168	12A	ACRSCH	5480293	0830	C	+1A		65,0	9,5	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480306	0830	C	+1A		0,0	10,0	1	FRP	VOLKER
05.02.07	144	12A	ACRSCH	5480313	0830	C	+1A		0,0	10,7	1	FRP	VOLKER
01.02.07	168	12A	ACRSCH	R586887	1100	C	+1A		65,5	9,0	1	GBT	MARTIN
30.01.07	156	12B	ACRSCH	5464210	1730	B	+1A		66,0	9,8	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464211	1730	B	+1A		66,0	10,2	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464212	1730	B	+1A		67,0	10,8	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464213	1730	B	+1A		0,0	0,0	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464214	1830	B	+1A		67,0	10,4	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464215	1830	B	+1A		69,0	10,0	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464216	1830	B	+1A		65,5	10,2	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464218	1900	B	+1A		66,0	10,0	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464219	1900	B	+1A		66,0	11,2	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464220	1900	B	+1A		65,5	12,0	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464221	1900	B	+1A		67,0	10,5	1	FRP	ANATOLY

30.01.07	156	12B	ACRSCH	5464222	1900	B	+1A		65,0	10,0	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464223	1900	B	+1A		66,0	10,2	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464224	1900	B	+1A		68,0	12,0	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464225	1900	B	+1A		65,5	9,6	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464226	1900	B	+1A		69,5	11,0	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464227	1900	B	+1A		67,0	9,7	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464228	1900	B	+1A		64,0	9,5	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464229	1900	B	+1A		68,5	9,8	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464231	1900	B	+1A		64,0	10,3	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464232	1900	B	+1A		65,5	11,0	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464233	1900	B	+1A		67,0	9,8	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464234	1900	B	+1A		65,5	10,0	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464235	1900	B	+1A		69,0	10,9	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464236	1900	B	+1A		66,0	10,5	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464237	1900	B	+1A		66,0	10,6	1	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464238	1900	B	+1A		69,0	11,0	2	FRP	ANATOLY
30.01.07	156	12B	ACRSCH	5464239	1900	B	+1A		68,5	11,0	1	FRP	ANATOLY
02.02.07	130	12B	ACRSCH	5464250	0830	B	+1A		65,5	9,5	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464251	0800	B	+1A		66,5	9,5	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464252	0800	B	+1A		66,0	0,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464253	0800	B	+1A		67,5	9,6	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464260	0945	B	+1A		68,0	10,4	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464261	0945	B	+1A		68,5	10,1	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464262	0945	B	+1A		66,5	10,6	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464263	0945	B	+1A		66,5	10,5	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464265	0945	B	+1A		69,0	10,6	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464266	0945	B	+1A		66,0	9,9	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464267	0945	B	+1A		68,0	10,9	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464268	0945	B	+1A		66,0	10,3	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464269	1100	B	+1A		66,5	11,2	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464270	1100	B	+1A		66,0	9,8	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464271	1100	B	+1A		66,0	12,0	2	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464272	1100	B	+1A		68,0	10,7	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464273	1100	B	+1A		69,0	10,2	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464274	1100	B	+1A		65,0	10,3	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464275	1200	B	+1A		67,0	10,2	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464276	1200	B	+1A		65,0	10,3	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464277	1200	B	+1A		67,5	10,2	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464279	1200	B	+1A		63,5	9,9	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480321	1830	B	+1A		69,0	11,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480323	1830	B	+1A		65,0	11,0	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480324	1830	B	+1A		66,5	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480325	1830	B	+1A		65,5	9,9	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480326	1830	B	+1A		66,0	9,7	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480327	1830	B	+1A		66,0	9,7	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480328	1830	B	+1A		65,5	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480329	1830	B	+1A		68,0	11,3	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480331	1830	B	+1A		61,5	9,1	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480332	1830	B	+1A		63,0	9,9	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480334	1830	B	+1A		65,0	10,5	1	FRP	ANGELA

01.02.07	130	12B	ACRSCH	5480335	1830	B	+1A		65,0	15,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480336	1830	B	+1A		63,5	10,8	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480337	1830	B	+1A		62,0	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480338	1830	B	+1A		65,0	11,2	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5480339	1830	B	+1A		64,0	10,1	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5480344	0830	B	+1A		69,0	11,0	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5480356	1100	B	+1A		63,5	9,5	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5480357	1100	B	+1A		67,5	9,7	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5480358	1100	B	+1A		66,0	10,0	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5480359	1100	B	+1A		67,0	9,7	1	FRP	ANGELA
05.02.07	130	12B	ACRSCH	5480378	0845	B	+1A		65,0	9,0	1	FRP	ANGELA
05.02.07	144	12B	ACRSCH	5480386	1030	B	+1A		62,5	9,0	1	FRP	ANGELA
02.02.07	30	12B	ACRSCH	5487329	0800	B	+1A		65,0	11,1	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487331	0800	B	+1A		65,0	9,0	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487334	0800	B	+1A		65,0	10,0	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487335	0800	B	+1A		64,0	9,5	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487337	0800	B	+1A		0,0	9,8	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487338	0800	B	+1A		63,0	10,2	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487339	0800	B	+1A		68,5	10,2	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487340	0800	B	+1A		66,0	10,4	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487341	0800	B	+1A		62,0	9,9	1	FRP	CARLOS
02.02.07	30	12B	ACRSCH	5487342	0800	B	+1A		66,5	10,3	1	FRP	CARLOS
08.02.07	24	12B	ACRSCH	5511089	1030	B	+1A		62,0	10,0	1	FRP	ANGELA
08.02.07	24	12B	ACRSCH	5511090	1030	B	+1A		65,0	10,5	1	FRP	ANGELA
08.02.07	24	12B	ACRSCH	5511091	1030	B	+1A		68,5	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464210	1830	C	+1A		0,0	9,8	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464210	0945	C	+1A		66,0	9,4	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464214	1830	C	+1A		0,0	10,3	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464214	1100	C	+1A		0,0	10,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464216	0945	C	+1A		65,0	9,8	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464221	1830	C	+1A		66,5	10,2	1	FRP	ANGELA
08.02.07	24	12B	ACRSCH	5464221	1030	C	+1A		0,0	9,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464223	1830	C	+1A		0,0	10,0	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464225	1830	C	+1A		0,0	8,8	1	FRP	ANGELA
08.02.07	24	12B	ACRSCH	5464225	1030	C	+1A		0,0	9,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464228	0945	C	+1A		64,0	8,8	1	FRP	ANGELA
08.02.07	24	12B	ACRSCH	5464232	1030	C	+1A		0,0	11,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464236	1100	C	+1A		0,0	0,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	5464236	1100	C	+1A		0,0	0,0	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5464236	0830	C	+1A		0,0	0,0	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5464267	1100	C	+1A		66,5	10,2	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464270	1700	C	+1A		0,0	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464270	1830	C	+1A		0,0	0,0	1	FRP	ANGELA
02.02.07	130	12B	ACRSCH	5464272	0830	C	+1A		0,0	10,0	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464275	1830	C	+1A		67,5	10,5	1	FRP	ANGELA
01.02.07	130	12B	ACRSCH	5464277	1830	C	+1A		0,0	10,5	1	FRP	ANGELA
02.02.07	30	12B	ACRSCH	5480322	0800	C	+1A		0,0	0,0	1	FRP	CARLOS
05.02.07	144	12B	ACRSCH	5480329	0845	C	+1A		65,0	9,0	1	FRP	ANGELA
01.02.07	156	12B	ACRSCH	9479340	0845	C	+1A		67,5	10,5	1	BLB	ANGELA
02.02.07	30	12B	ACRSCH	9496049	0800	C	+1A		66,0	10,2	1	BLB	CARLOS

01.02.07	156	12T	ACRSCH	5464256	0845	B	+1A		64,5	9,5	1	FRP	ANGELA
01.02.07	156	12T	ACRSCH	5464257	0845	B	+1A		69,0	10,4	1	FRP	ANGELA
01.02.07	156	12T	ACRSCH	5464258	0845	B	+1A		65,5	9,6	1	FRP	ANGELA
01.02.07	156	12T	ACRSCH	5464259	0845	B	+1A		68,0	10,2	1	FRP	ANGELA
01.02.07	168	12T	ACRSCH	5480309	1100	B	+1A		65,5	12,3	1	FRP	MARTIN
05.02.07	144	12T	ACRSCH	5480385	0930	B	+1A		65,0	10,0	1	FRP	ANGELA
06.02.07	180	13T	ACRSCH	5480416	1830	B	+1A		65,0	10,1	1	FRP	VOLKER
06.02.07	180	13T	ACRSCH	5480428	1900	B	+1A		67,5	11,5	2	FRP	VOLKER
07.02.07	180	13T	ACRSCH	5480444	0830	B	+1A		68,5	11,9	2	FRP	VOLKER
07.02.07	180	13T	ACRSCH	5480448	1000	B	+1A		64,0	10,2	1	FRP	VOLKER
07.02.07	180	13T	ACRSCH	5480399	1730	C	+1A		0,0	10,4	1	FRP	VOLKER
08.02.07	180	13T	ACRSCH	5480399	0830	C	+1A		0,0	10,2	1	FRP	VOLKER
03.02.07	24	14A	ACRSCH	5475155	0900	B	+1A		67,5	10,7	1	FRP	OSKARS
03.02.07	24	14A	ACRSCH	5475157	0900	B	+1A		68,0	9,7	1	FRP	OSKARS
03.02.07	24	14A	ACRSCH	5475158	0900	B	+1A		70,0	10,4	1	FRP	OSKARS
03.02.07	24	14A	ACRSCH	5475159	1030	B	+1A		68,0	10,3	1	FRP	OSKARS
03.02.07	24	14A	ACRSCH	5475160	1030	B	+1A		66,0	9,2	1	FRP	OSKARS
03.02.07	24	14A	ACRSCH	5475161	1030	B	+1A		68,0	10,2	1	FRP	OSKARS
03.02.07	24	14B	ACRSCH	5480364	0900	B	+1A		67,0	10,6	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480365	1030	B	+1A		67,0	10,0	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480366	1030	B	+1A		66,0	10,3	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480367	1030	B	+1A		68,0	11,0	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480368	1100	B	+1A		66,5	10,9	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480369	1100	B	+1A		67,0	11,2	1	FRP	VOLKER
03.02.07	24	14B	ACRSCH	5480370	1100	B	+1A		68,0	10,0	1	FRP	VOLKER
20.01.07	84	2A	ACRSCH	5464001	0930	B	+1A		67,0	12,0	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464003	0930	B	+1A		67,5	10,3	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464004	0930	B	+1A		66,0	10,0	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464005	0930	B	+1A		64,0	10,0	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464006	1030	B	+1A		66,0	9,6	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464007	1030	B	+1A		66,5	11,0	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464008	1030	B	+1A		66,5	10,4	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464010	1030	B	+1A		68,0	10,0	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464011	1030	B	+1A		66,5	11,0	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464012	1030	B	+1A		69,0	10,5	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464013	1030	B	+1A		67,5	10,7	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464014	1030	B	+1A		63,5	9,5	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464015	1030	B	+1A		63,5	9,5	1	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464016	1100	B	+1A		67,5	13,0	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464017	1100	B	+1A		66,0	12,0	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464018	1130	B	+1A		66,0	11,5	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464020	1130	B	+1A		67,0	10,5	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464022	1130	B	+1A		66,0	10,3	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464023	1200	B	+1A		65,0	9,5	2	FRP	JULIO
20.01.07	84	2A	ACRSCH	5464025	1200	B	+1A		66,5	10,3	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464026	0800	B	+1A		70,0	10,5	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464027	0800	B	+1A		66,0	9,0	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464028	0800	B	+1A		69,0	9,8	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464029	0800	B	+1A		68,5	9,4	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464030	0900	B	+1A		64,0	9,7	1	FRP	JULIO

21.01.07	84	2A	ACRSCH	5464031	0900	B	+1A		67,0	10,0	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464032	0900	B	+1A		65,0	9,7	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464033	0900	B	+1A		68,0	9,8	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464034	0900	B	+1A		65,5	10,0	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464035	0900	B	+1A		67,0	10,6	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464036	0900	B	+1A		65,5	0,0	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464037	0900	B	+1A		68,0	9,9	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464038	0900	B	+1A		65,5	9,6	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464039	0900	B	+1A		66,0	10,5	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464040	0900	B	+1A		66,0	14,1	3	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464041	0900	B	+1A		67,5	9,6	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464042	0900	B	+1A		64,5	9,6	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464043	0900	B	+1A		68,5	10,1	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464044	1000	B	+1A		69,0	10,2	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464045	1000	B	+1A		71,0	11,7	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464046	1000	B	+1A		66,0	11,2	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464047	1000	B	+1A		66,0	10,5	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464050	1000	B	+1A		64,0	10,6	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464051	1000	B	+1A		65,0	10,0	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464052	1000	B	+1A		68,0	10,1	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464054	1000	B	+1A		67,0	9,6	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464055	1000	B	+1A		66,0	10,7	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464057	1000	B	+1A		65,5	10,3	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464058	1000	B	+1A		67,0	9,8	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464059	1000	B	+1A		64,5	10,8	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464060	1000	B	+1A		69,0	11,0	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464061	1000	B	+1A		64,0	9,9	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464062	1000	B	+1A		66,5	10,4	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464063	1000	B	+1A		65,0	9,7	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464064	1000	B	+1A		68,0	9,8	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464065	1100	B	2A		65,0	9,3	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464066	1100	B	+1A		69,0	10,9	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464068	1100	B	+1A		66,0	10,2	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464069	1100	B	+1A		66,5	10,5	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464071	1100	B	+1A		67,0	10,2	2	FRP	JULIO
21.01.07	84	2A	ACRSCH	5464072	1100	B	+1A		66,5	10,9	2	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464298	1700	B	+1A		66,5	10,2	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464299	1700	B	+2A		67,5	10,8	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464300	1800	B	+1A		68,5	10,3	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464301	1800	B	+1A		67,0	11,3	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464302	1900	B	+1A		66,0	9,2	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464303	1900	B	+1A		70,5	10,8	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464304	1900	B	+1A		64,0	10,1	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464306	1915	B	+1A		67,0	10,3	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464307	1915	B	+1A		67,0	11,1	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464308	1915	B	+1A		63,5	9,3	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464309	1915	B	+1A		68,0	0,0	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464310	1915	B	+1A		71,0	9,9	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464311	1915	B	+1A		65,0	10,5	2	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464314	0700	B	+1A		66,0	9,2	1	FRP	JULIO

02.02.07	72	2A	ACRSCH	5464318	0900	B	+1A		68,0	11,0	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464320	0900	B	+1A		69,0	10,5	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464321	0900	B	+1A		65,0	9,5	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464322	0900	B	+1A		65,0	10,0	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464325	0900	B	+1A		66,0	10,1	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464327	0900	B	+1A		67,0	10,1	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464328	0900	B	+1A		64,5	9,5	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464329	0900	B	+1A		63,5	8,8	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5464331	0900	B	+1A		68,5	10,5	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464332	0900	B	+1A		66,0	10,0	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464333	0900	B	+1A		63,5	10,1	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464334	0900	B	+1A		68,0	9,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464336	0900	B	+1A		69,0	9,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464337	0900	B	+1A		66,0	9,5	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464338	0900	B	+1A		68,0	10,3	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464339	0900	B	+1A		0,0	0,0		FRP	JULIO
03.02.07	72	2A	ACRSCH	5464340	0900	B	+1A		67,0	10,0	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464341	0900	B	+1A		63,0	9,3	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464343	0900	B	+1A		66,0	9,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464345	0900	B	+1A		65,5	10,0	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464348	0900	B	+1A		66,0	10,5	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464351	1000	B	+1A		65,0	9,1	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464352	1000	B	2A		64,0	10,7	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464353	1000	B	+1A		68,0	9,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464354	1000	B	+1A		70,0	10,8	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464355	1000	B	+1A		67,0	9,7	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464356	1000	B	+1A		67,0	9,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464357	1000	B	+1A		69,0	10,7	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464358	1000	B	+1A		70,5	11,3	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464359	1000	B	+1A		69,0	10,0	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464362	1100	B	+1A		63,0	9,2	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464363	1100	B	+1A		66,5	9,8	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464364	1100	B	+1A		69,0	10,2	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464366	1700	B	+1A		68,0	10,3	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464368	1700	B	+1A		67,0	9,7	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464369	1800	B	+1A		67,5	10,6	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464370	1800	B	+1A		68,0	10,2	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5464371	1900	B	+1A		69,0	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464373	0800	B	+1A		67,0	9,8	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464375	0800	B	+1A		66,5	9,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464379	0800	B	+1A		62,5	9,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464381	0800	B	+1A		68,5	10,0	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464383	0800	B	+1A		67,0	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464384	0900	B	+1A		67,5	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464385	0900	B	+1A		68,0	10,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464386	0900	B	+1A		68,5	10,6	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464387	0900	B	+1A		68,0	9,8	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464388	0900	B	+1A		67,0	9,8	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464389	0900	B	+1A		66,5	9,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464390	0900	B	+1A		67,0	9,9	1	FRP	JULIO

04.02.07	72	2A	ACRSCH	5464391	0900	B	+1A		67,0	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464392	0900	B	+1A		65,5	9,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464393	0900	B	+1A		67,5	9,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464394	0900	B	+1A		66,0	11,0	2	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464395	0900	B	+1A		63,0	9,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464396	0900	B	+1A		66,0	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464397	0900	B	+1A		67,5	10,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464398	0900	B	+1A		67,5	10,0	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464399	0900	B	+1A		69,0	10,4	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464401	0900	B	+1A		66,5	9,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464402	0900	B	+1A		65,0	9,8	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464403	1000	B	+1A		66,5	10,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464404	1000	B	+1A		64,5	9,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464405	1000	B	+1A		66,0	10,5	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464406	1000	B	+1A		68,0	10,0	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464407	1000	B	+1A		65,5	10,4	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464408	1000	B	+1A		68,0	11,5	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464409	1000	B	+1A		62,5	10,2	2	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464410	1000	B	+1A		67,0	10,7	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464412	1030	B	+1A		68,0	11,0	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464413	1030	B	+1A		65,5	10,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464419	1100	B	+1A		65,5	10,2	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464420	1100	B	+1A		67,0	10,1	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464421	1130	B	+1A		66,0	10,5	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464422	1130	B	+1A		68,0	10,4	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464430	0730	B	+1A		66,5	10,2	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464431	0830	B	+1A		68,0	10,7	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464432	0900	B	+1A		65,0	9,0	2	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464433	0900	B	+1A		65,0	10,7	2	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464434	1000	B	+1A		66,0	9,5	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464435	1030	B	+1A		63,0	10,1	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464437	1130	B	+1A		68,0	14,3	3	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464438	1130	B	+1A		68,0	11,0	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464439	1130	B	+1A		62,5	9,3	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464440	1130	B	+1A		69,0	11,2	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464444	1700	B	+1A		68,0	10,7	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464445	1700	B	+1A		66,5	9,8	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464446	1730	B	+1A		0,0	9,9	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464447	1730	B	+1A		68,0	10,1	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464448	1800	B	+1A		65,5	10,1	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464449	1800	B	+1A		68,0	11,3	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464451	1800	B	+1A		69,5	11,3	2	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464452	1800	B	+1A		64,5	10,1	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464453	1930	B	+1A		67,5	11,5	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464454	1930	B	+1A		67,0	11,0	2	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464455	1930	B	+1A		67,5	10,7	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464456	1930	B	+1A		68,5	10,7	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464457	1930	B	+1A		66,5	9,5	1	FRP	JULIO
03.02.07	24	2A	ACRSCH	5475163	1730	B	+1A		68,0	11,5	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475164	1730	B	+1A		67,0	10,5	1	FRP	OSKARS

03.02.07	24	2A	ACRSCH	5475165	1730	B	+1A		70,0	10,8	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475166	1730	B	+1A		66,0	10,0	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475168	1730	B	+1A		60,0	9,7	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475169	1730	B	+1A		67,0	11,3	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475170	1830	B	+1A		64,0	10,4	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475171	1830	B	+1A		64,0	11,0	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475172	1830	B	+1A		61,0	9,8	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475173	1830	B	+1A		66,0	12,0	2	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475174	1830	B	+1A		69,0	10,5	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475175	1830	B	+1A		68,0	10,1	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475176	1830	B	+1A		68,0	10,7	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475177	1830	B	+1A		67,0	10,5	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475178	1915	B	+1A		67,0	11,2	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475179	1915	B	+1A		70,0	11,2	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475180	1915	B	+1A		69,0	10,3	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475181	1915	B	+1A		67,0	10,8	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475182	1915	B	+1A		79,0	11,2	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475183	1915	B	+1A		70,0	12,0	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475185	1930	B	+1A		65,0	11,2	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475186	1930	B	+1A		68,0	12,2	2	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475187	1930	B	+1A		66,0	11,0	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475188	1930	B	+1A		68,0	11,0	1	FRP	OSKARS
03.02.07	24	2A	ACRSCH	5475189	1930	B	+1A		67,0	11,0	1	FRP	OSKARS
21.01.07	84	2A	ACRSCH	5480021	1630	B	+1A		64,0	11,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480025	1800	B	+1A		64,0	11,2	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480028	1830	B	+1A		64,0	11,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480029	1830	B	+1A		64,0	10,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480031	1830	B	+1A		65,0	10,7	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480032	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480033	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480035	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480037	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480043	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480044	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCH	5480045	1830	B	+1A		67,0	10,0	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480049	0800	B	+1A		67,0	10,0	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480050	0800	B	+1A		68,0	11,0	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480052	0800	B	+1A		65,5	9,7	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480054	0800	B	+1A		64,5	10,2	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480060	0900	B	+1A		66,0	11,5	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480063	0900	B	+1A		66,0	10,7	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480065	1000	B	+1A		66,0	10,2	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480066	1000	B	+1A		64,0	10,5	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480068	1000	B	+1A		65,0	10,5	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480069	1000	B	+1A		66,0	10,0	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480070	1000	B	+1A		69,0	10,0	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480075	1100	B	+1A		66,5	10,2	1	FRP	MARTIN
22.01.07	84	2A	ACRSCH	5480076	1100	B	+1A		67,5	9,6	1	FRP	MARTIN
03.02.07	24	2A	ACRSCH	5480371	1700	B	+1A		67,5	10,5	1	FRP	VOLKER
03.02.07	24	2A	ACRSCH	5480372	1730	B	+1A		65,0	10,7	1	FRP	VOLKER

03.02.07	24	2A	ACRSCH	5480373	1800	B	+1A		0,0	11,0	1	FRP	VOLKER
03.02.07	24	2A	ACRSCH	5480374	1900	B	+1A		68,0	11,0	1	FRP	VOLKER
05.02.07	36	2A	ACRSCH	5226670	0830	C	+1A		68,5	10,5	2	FRP	JULIO
22.01.07	84	2A	ACRSCH	5289149	0900	C	+1A		67,5	11,2	1	FRP	MARTIN
04.02.07	72	2A	ACRSCH	5289149	0900	C	+1A		68,5	10,4	1	FRP	JULIO
21.01.07	84	2A	ACRSCH	5411498	1100	C	+2?		66,0	10,3	2	FRP	JULIO
22.01.07	84	2A	ACRSCH	5464026	0800	C	+1A		0,0	11,0	1	FRP	MARTIN
03.02.07	72	2A	ACRSCH	5464063	1830	C	+1A		0,0	10,2	1	FRP	JULIO
03.02.07	24	2A	ACRSCH	5464300	1730	C	+1A		68,0	10,5	1	FRP	VOLKER
03.02.07	72	2A	ACRSCH	5464308	1700	C	+1A		0,0	9,3	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5464309	0800	C	+1A		0,0	10,6	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464375	0830	C	+1A		67,0	9,8	2	FRP	JULIO
05.02.07	36	2A	ACRSCH	5464379	0730	C	+1A		62,0	9,0	1	FRP	JULIO
08.02.07	60	2A	ACRSCH	5464437	1000	C	+1A		68,0	13,9	1	FRP	JULIO
05.02.07	36	2A	ACRSCH	5475171	1930	C	+1A		0,0	10,5	1	FRP	JULIO
04.02.07	72	2A	ACRSCH	5480021	0800	C	+1A		0,0	10,5	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5480025	1700	C	+1A		65,0	10,6	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5480027	0700	C	+1A		0,0	9,5	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5480027	0700	C	+1A		0,0	9,5	1	FRP	JULIO
02.02.07	72	2A	ACRSCH	5480043	0700	C	+1A		0,0	10,2	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5480043	0700	C	+1A		0,0	10,2	1	FRP	JULIO
03.02.07	72	2A	ACRSCH	5480373	1900	C	+1A		0,0	11,0	1	FRP	JULIO
03.02.07	24	2A	ACRSCH	5487029	1730	C	+1A		65,5	10,2	1	FRP	VOLKER
03.02.07	24	2A	ACRSCH	5487096	1915	C	+1A		0,0	10,0	1	FRP	OSKARS
04.02.07	72	2A	ACRSCH	9835447	1000	C	+1A		68,0	11,5	1	BLB	JULIO
05.02.07	36	2A	ACRSCH	J464055	1130	C	+1A		67,0	10,5	1	GBT	JULIO
21.01.07	84	2AT	ACRSCH	5480027	1830	B	+1A		66,0	10,7	1	FRP	MARTIN
22.01.07	84	2AT	ACRSCH	5480057	0830	B	+1A		63,0	11,0	1	FRP	MARTIN
06.02.07	60	2B	ACRSCH	5464460	0700	B	+1A		65,5	11,0	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464461	0700	B	+1A		67,5	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464462	0700	B	+1A		66,0	11,5	2	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464463	0700	B	+1A		66,0	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464465	0700	B	+1A		68,5	9,7	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464466	0700	B	+1A		68,5	11,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464467	0700	B	+1A		67,0	10,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464468	0700	B	+1A		68,0	9,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464472	0800	B	+1A		66,0	9,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464473	0800	B	+1A		0,0	10,6	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464474	0800	B	+1A		66,5	10,0	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464475	0800	B	+1A		65,0	10,0	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464476	0800	B	+1A		66,5	10,2	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464477	0800	B	+1A		68,0	10,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464478	0800	B	+1A		67,0	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464479	0800	B	+1A		66,0	9,6	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464481	0900	B	+1A		68,0	10,9	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464482	0900	B	+1A		66,0	10,1	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464490	1000	B	+1A		68,5	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464491	1000	B	+1A		68,5	10,7	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464493	1000	B	+1A		66,0	10,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464494	1000	B	+1A		63,5	9,6	1	FRP	JULIO

06.02.07	60	2B	ACRSCH	5464495	1000	B	+1A		64,5	9,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464496	1000	B	+1A		67,5	10,0	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464497	1000	B	+1A		68,0	10,9	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464498	1000	B	+1A		67,0	10,4	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464499	1000	B	+1A		67,0	9,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464502	1030	B	+1A		64,5	10,2	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464503	1030	B	+1A		67,0	9,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464504	1030	B	+1A		69,0	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464506	1030	B	+1A		62,5	9,2	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464508	1100	B	+1A		68,0	10,2	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464509	1100	B	+1A		69,0	10,0	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464510	1100	B	+1A		69,5	10,2	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464511	1100	B	+1A		67,0	10,9	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464512	1130	B	+1A		67,5	11,0	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464513	0800	B	+1A		64,0	9,4	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464514	0900	B	+1A		64,5	9,7	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464515	0900	B	+1A		66,0	11,2	2	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464516	0900	B	+1A		68,0	11,3	2	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464517	0900	B	+1A		68,0	10,5	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464518	0900	B	+1A		67,5	10,7	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464519	0900	B	+1A		67,5	9,9	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464520	0900	B	+1A		66,0	10,1	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464521	0900	B	+1A		65,0	10,2	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464524	0900	B	+1A		66,5	10,8	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464526	0900	B	+1A		69,0	10,5	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464527	0900	B	+1A		68,5	10,0	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464529	0930	B	+1A		69,5	11,7	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464530	0930	B	+1A		67,5	10,4	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464533	1030	B	+1A		70,0	10,2	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464534	1030	B	+1A		67,0	10,8	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464536	1100	B	+1A		62,5	9,4	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464537	1100	B	+1A		66,5	10,4	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464539	1130	B	+1A		68,5	11,4	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464541	1130	B	+1A		69,0	9,9	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464543	1200	B	+1A		67,0	10,6	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464547	1700	B	+1A		66,0	10,5	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464552	0730	B	+1A		66,0	9,8	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464553	0830	B	+1A		67,0	9,8	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464554	0830	B	+1A		69,5	9,9	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464557	0830	B	+1A		65,0	10,3	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464558	0830	B	+1A		68,5	9,7	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464560	0830	B	+1A		66,0	11,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464562	0830	B	+1A		66,5	9,8	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464563	0830	B	+1A		67,0	9,6	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464564	0830	B	+1A		63,0	9,6	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464565	0830	B	+1A		66,5	9,3	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464566	0830	B	+1A		67,0	10,7	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464568	0900	B	+1A		66,5	9,5	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464569	0900	B	+1A		68,0	10,7	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464570	0900	B	+1A		68,0	10,5	1	FRP	JULIO

08.02.07	60	2B	ACRSCH	5464573	0900	B	+1A		65,0	10,1	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464575	0900	B	+1A		66,0	10,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464579	1000	B	+1A		65,5	10,4	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464580	1000	B	+1A		67,0	10,1	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464581	1000	B	+1A		63,5	9,1	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464582	1000	B	+1A		66,5	10,6	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464583	1000	B	+1A		65,0	10,5	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464584	1000	B	+1A		68,5	10,0	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464587	1100	B	+1A		65,5	11,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464588	1100	B	+1A		65,5	11,4	2	FRP	JULIO
06.02.07	60	2B	ACRSCH	5226670	0800	C	+1A		69,0	9,4	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464015	0700	C	+1A		65,0	9,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464042	0900	C	+1A		64,0	9,5	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464061	0730	C	+1A		64,0	10,3	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464399	0900	C	+1A		0,0	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5464437	0700	C	+1A		67,5	13,8	3	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464461	0800	C	+1A		0,0	10,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464467	0830	C	+1A		68,0	10,5	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464472	0930	C	+1A		0,0	9,6	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464476	0830	C	+1A		67,0	11,3	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464490	1130	C	+1A		0,0	10,5	1	FRP	JULIO
08.02.07	60	2B	ACRSCH	5464498	0900	C	+1A		67,5	10,2	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5464508	1130	C	+1A		0,0	10,3	1	FRP	JULIO
06.02.07	60	2B	ACRSCH	5475130	0900	C	+1A		68,0	9,6	1	FRP	JULIO
07.02.07	60	2B	ACRSCH	5475185	0900	C	+1A		65,5	9,5	1	FRP	JULIO
23.01.07	84	6T	ACRSCH	5480099	1030	B	+1A		66,0	11,0	2	FRP	MARTIN
24.01.07	72	6T	ACRSCH	5480111	1000	B	+1A		67,0	10,5	1	FRP	STEFAN
23.01.07	84	6T	ACRSCH	5480099	1045	C	+1A		0,0	0,0		FRP	MARTIN
24.01.07	72	6T	ACRSCH	5480099	0830	C	+1A		65,0	10,5	1	FRP	STEFAN
25.01.07	200	9A	ACRSCH	5475023	0900	B	+1A		68,0	11,5	2	FRP	BENEDIKT
25.01.07	200	9A	ACRSCH	5475031	1015	B	+1A		64,0	9,2	1	FRP	BENEDIKT
25.01.07	200	9A	ACRSCH	5475033	1015	B	+1A		66,0	10,9	1	FRP	BENEDIKT
25.01.07	200	9A	ACRSCH	5475034	1015	B	+1A		67,0	10,8	1	FRP	BENEDIKT
25.01.07	200	9A	ACRSCH	5475035	1015	B	+1A		65,5	9,6	1	FRP	BENEDIKT
25.01.07	238	9A	ACRSCH	5475054	1930	B	+1A		61,5	11,0	1	FRP	MARTIN
25.01.07	238	9A	ACRSCH	5475056	1930	B	+1A		64,0	15,2	3	FRP	MARTIN
26.01.07	216	9A	ACRSCH	5475071	0700	B	+1A		67,0	9,7	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475072	0800	B	+1A		68,0	9,6	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475073	0800	B	+1A		69,5	10,9	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475074	0800	B	+1A		67,0	10,4	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475076	0800	B	+1A		66,0	11,4	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475077	0800	B	+1A		66,0	10,4	2	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475083	0800	B	+1A		63,5	9,4	1	FRP	BENEDIKT
26.01.07	216	9A	ACRSCH	5475091	0800	B	+1A		67,0	11,2	1	FRP	BENEDIKT
26.01.07	318	9A	ACRSCH	5475092	1800	B	+1A		65,0	10,4	1	FRP	BENEDIKT
26.01.07	318	9A	ACRSCH	5475096	1900	B	+1A		63,0	10,9	1	FRP	BENEDIKT
26.01.07	318	9A	ACRSCH	5475097	1900	B	+1A		66,5	11,0	1	FRP	BENEDIKT
27.01.07	238	9A	ACRSCH	5480113	0900	B	+1A		65,5	10,1	1	FRP	MARTIN
27.01.07	238	9A	ACRSCH	5480130	1100	B	+1A		66,5	11,3	1	FRP	MARTIN
25.01.07	200	9A	ACRSCH	4952797	1015	C	+1A		66,5	17,0	3	FRP	BENEDIKT

24.01.07	200	9B	ACRSCH	5475009	1845	B	+1A		64,0	10,8	1	FRP	BENEDIKT
25.01.07	200	9B	ACRSCH	5475016	0830	B	+1A		67,0	10,2	1	FRP	BENEDIKT
25.01.07	200	9B	ACRSCH	5475018	0830	B	+1A		67,5	11,5	1	FRP	BENEDIKT
25.01.07	200	9B	ACRSCH	5475019	0830	B	+1A		65,0	10,5	1	FRP	BENEDIKT
25.01.07	200	9B	ACRSCH	5475028	0945	B	+1A		66,0	11,0	1	FRP	BENEDIKT
25.01.07	238	9B	ACRSCH	5475064	1930	B	+1A		66,0	10,9	1	FRP	MARTIN
25.01.07	238	9B	ACRSCH	5475066	1930	B	+1A		67,5	11,6	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480112	0900	B	+1A		66,5	10,7	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480114	0900	B	+1A		62,0	9,0	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480115	0900	B	+1A		65,0	8,7	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480121	1000	B	+1A		63,0	10,5	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480125	1000	B	+1A		68,0	10,7	1	FRP	MARTIN
27.01.07	238	9B	ACRSCH	5480127	1000	B	+1A		68,0	10,4	1	FRP	MARTIN
24.01.07	200	9B	ACRSCH	5475015	1845	B	+1A		66,0	11,5	2	FRP	BENEDIKT
25.01.07	238	9B	ACRSCH	R896215	1930	C	+1A		66,0	11,6	1	GBT	MARTIN
24.01.07	200	9B	ACRSCH	T732152	1845	C	+1A		65,0	11,0	2	GBT	BENEDIKT
27.01.07	168	9C	ACRSCH	5480201	1815	B	+1A		64,0	11,0	1	FRP	MARTIN
27.01.07	168	9C	ACRSCH	5480206	1900	B	+1A		66,0	11,3	1	FRP	MARTIN
27.01.07	168	9C	ACRSCH	5480209	1900	B	+1A		66,0	11,5	2	FRP	MARTIN
27.01.07	168	9C	ACRSCH	5480210	1900	B	+1A		66,0	10,5	1	FRP	MARTIN
27.01.07	168	9C	ACRSCH	5480211	1900	B	+1A		69,5	14,0	3	FRP	MARTIN
27.01.07	168	9C	ACRSCH	5480212	1900	B	+1A		66,0	10,6	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480215	0800	B	+1A		66,0	10,5	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480217	0900	B	+1A		68,0	12,0	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480219	1000	B	+1A		63,0	10,2	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480228	1000	B	+1A		65,5	9,5	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480233	1100	B	+1A		64,0	9,5	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480240	1200	B	+1A		67,0	10,0	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480244	1900	B	+1A		66,0	11,0	2	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480246	1900	B	+1A		65,0	10,2	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480247	1900	B	+1A		65,0	10,1	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480248	1900	B	+1A		66,5	12,2	2	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480250	0800	B	+1A		66,0	11,0	3	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480252	0800	B	+1A		68,0	10,4	2	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480254	0830	B	+1A		66,0	11,6	1	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480255	0830	B	+1A		65,0	10,5	2	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480259	0930	B	+1A		69,5	10,5	1	FRP	MARTIN
29.01.07	180	9C	ACRSCH	5480166	0800	C	+1A		0,0	10,0	1	FRP	MARTIN
28.01.07	168	9C	ACRSCH	5480206	1900	C	+1A		0,0	11,2	2	FRP	MARTIN
27.01.07	160	9D	ACRSCH	5480146	1845	B	+1A		66,0	11,3	2	FRP	BENEDIKT
27.01.07	160	9D	ACRSCH	5480147	1915	B	+1A		66,5	10,3	1	FRP	BENEDIKT
27.01.07	160	9D	ACRSCH	5480148	1915	B	+1A		66,5	11,0	2	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480151	0800	B	+1A		67,0	10,5	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480152	0915	B	+1A		68,0	10,7	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480154	0915	B	+1A		65,0	10,5	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480155	0915	B	+1A		68,0	10,4	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480157	1030	B	+1A		64,0	10,5	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480163	1030	B	+1A		67,0	10,2	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480165	1030	B	+1A		65,0	10,4	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480166	1030	B	+1A		63,0	9,7	1	FRP	BENEDIKT

28.01.07	160	9D	ACRSCH	5480172	1930	B	+1A		66,5	10,5	1	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480173	1930	B	+1A		64,5	12,1	2	FRP	BENEDIKT
28.01.07	160	9D	ACRSCH	5480174	1930	B	+1A		65,0	10,5	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480176	0845	B	+1A		66,5	10,2	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480178	0845	B	+1A		67,0	12,0	2	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480182	0845	B	+1A		67,0	10,3	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480183	0845	B	+1A		67,0	10,7	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480185	0945	B	+1A		66,0	10,3	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480186	0945	B	+1A		68,5	10,8	1	FRP	BENEDIKT
29.01.07	162	9D	ACRSCH	5480152	1100	C	+1A		0,0	10,7	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCI	5487026	0900	B	2A		65,5	9,4	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCI	5487032	1030	B	2A		65,0	8,8	1	FRP	BENEDIKT
21.01.07	180	1	ACRSCI	5487037	1200	B	2A		62,0	8,9	1	FRP	BENEDIKT
21.01.07	228	3	ACRSCI	5464073	1645	B	2A?		65,5	9,6	2	FRP	JULIO
22.01.07	228	3	ACRSCI	5464081	1200	B	2A		62,0	0,0	2	FRP	JULIO
20.01.07	96	3	ACRSCI	5480001	1000	B	+1A		64,0	0,0	2	FRP	MARTIN
20.01.07	96	3	ACRSCI	5480005	1100	B	+1A		61,0	10,4	1	FRP	MARTIN
22.01.07	108	4	ACRSCI	5487048	0830	B	+2A		67,0	9,0	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487050	0830	B	+1A		64,5	9,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487056	0830	B	+1A		67,0	10,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487057	0830	B	+1A		65,0	9,8	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487061	0930	B	+1A		65,5	9,8	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487063	0930	B	+1A		62,5	8,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487064	0930	B	+1A		66,5	9,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487066	0930	B	+1A		64,5	9,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487068	0930	B	+1A		63,5	10,6	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487070	1030	B	+1A		68,0	10,3	1	FRP	BENEDIKT
22.01.07	108	4	ACRSCI	5487071	1100	B	+1A		63,0	8,7	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487080	0730	B	2A		65,0	8,4	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487082	0730	B	2A		65,5	10,3	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487088	0730	B	2A		64,0	9,1	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487089	0730	B	+2A		65,0	9,7	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487103	0930	B	+1A		63,0	9,5	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487107	1100	B	+1A		62,5	10,1	1	FRP	BENEDIKT
23.01.07	108	4	ACRSCI	5487108	1100	B	+1A		65,5	9,2	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCI	5487114	0800	B	+1A		63,0	10,3	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCI	5487121	0830	B	+1A		64,5	8,7	1	FRP	BENEDIKT
24.01.07	90	4	ACRSCI	5487123	0930	B	+1A		65,0	9,8	1	FRP	BENEDIKT
22.01.07	84	4	ACRSCI	5487056	1900	C	+1A		0,0	11,4	1	FRP	BENEDIKT
21.01.07	84	5	ACRSCI	5511001	1800	B	+1A		65,0	14,0	1	FRP	STEPHAN
21.01.07	84	5	ACRSCI	5511004	1900	B	+1A		62,0	9,0	1	FRP	STEPHAN
21.01.07	84	5	ACRSCI	5511006	1915	B	+1A		0,0	0,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511011	0800	B	+1A		66,0	9,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511016	0800	B	+1A		66,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511019	0800	B	+1A		64,0	10,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511021	0900	B	+1A		62,0	9,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511024	0900	B	+1A		64,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511029	1000	B	+1A		64,0	11,0	1	FRP	STEPHAN
22.01.07	84	5	ACRSCI	5511033	1900	B	+1A		0,0	0,0		FRP	STEPHAN
23.01.07	96	5	ACRSCI	5511042	0815	B	+1A		64,0	10,0	1	FRP	MARTIN

23.01.07	96	5	ACRSCI	5511047	1015	B	+1A		65,0	10,0	1	FRP	MARTIN
23.01.07	96	5	ACRSCI	5511053	1200	B	+1A		63,0	10,0	2	FRP	MARTIN
23.01.07	96	5	ACRSCI	5511054	1200	B	+1A		62,0	10,0	1	FRP	MARTIN
23.01.07	120	5	ACRSCI	5511056	0700	B	+1A		63,0	10,0	1	FRP	ANGELA
24.01.07	120	5	ACRSCI	5511061	0800	B	+1A		65,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCI	5511068	0800	B	+1A		65,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCI	5511071	0900	B	+1A		65,0	10,0	1	FRP	MARTIN
24.01.07	120	5	ACRSCI	5480107	0800	C	+1A		0,0	0,0	1	FRP	MARTIN
22.01.07	84	6	ACRSCI	5480084	1800	B	+1A		61,0	10,0	1	FRP	MARTIN
22.01.07	84	6	ACRSCI	5480085	1800	B	+1A		68,0	9,0	1	FRP	MARTIN
22.01.07	84	6	ACRSCI	5480087	1900	B	+1A		65,0	9,0	1	FRP	MARTIN
23.01.07	84	6	ACRSCI	5480090	0830	B	+1A		62,0	9,9	1	FRP	MARTIN
23.01.07	84	6	ACRSCI	5480092	0830	B	+1A		66,0	11,6	1	FRP	MARTIN
23.01.07	84	6	ACRSCI	5480094	0830	B	+1A		62,0	9,2	1	FRP	MARTIN
23.01.07	84	6	ACRSCI	5480096	0900	B	+1A		63,0	9,0	1	FRP	MARTIN
23.01.07	72	6	ACRSCI	5480107	1900	B	+1A		65,0	9,5	1	FRP	STEFAN
24.01.07	72	6	ACRSCI	5480110	1000	B	+1A		66,0	8,8	1	FRP	STEFAN
23.01.07	108	6	ACRSCI	5487068	0830	C	+1A		0,0	10,3	1	FRP	MARTIN
23.01.07	84	7	ACRSCI	5464087	0715	B	+1A		65,0	9,1	1	FRP	JULIO
23.01.07	84	7	ACRSCI	5464089	0715	B	+1A		64,0	9,4	1	FRP	JULIO
23.01.07	84	7	ACRSCI	5464091	0715	B	2A		63,0	8,8	1	FRP	JULIO
23.01.07	84	7	ACRSCI	5464092	0715	B	2A		68,0	10,2	1	FRP	JULIO
24.01.07	84	7	ACRSCI	5464099	0730	B	+1A		64,5	9,2	2	FRP	JULIO
25.01.07	312	8	ACRSCI	5487173	1030	B	2A		64,0	9,8	2	FRP	JULIO
01.02.07	72	15	ACRSCI	5464281	1700	B	2A		64,0	8,8	1	FRP	JULIO
01.02.07	72	15	ACRSCI	5464284	1900	B	+1A		64,5	8,7	1	FRP	JULIO
02.02.07	72	15	ACRSCI	5464290	0830	B	2A		64,0	9,3	1	FRP	JULIO
02.02.07	72	15	ACRSCI	5464291	0830	B	2A		64,5	8,7	1	FRP	JULIO
02.02.07	72	15	ACRSCI	5464292	0830	B	2A		67,0	9,7	1	FRP	JULIO
02.02.07	72	15	ACRSCI	5464293	0930	B	2A		68,0	11,2	2	FRP	JULIO
02.02.07	72	15	ACRSCI	5464294	0930	B	+1A		67,5	9,1	1	FRP	JULIO
28.01.07	222	10A	ACRSCI	5464144	0900	B	+1A		63,0	9,5	1	FRP	ANGELA
30.01.07	168	12A	ACRSCI	5480277	1930	B	+1A		67,0	9,7	1	FRP	MARTIN
02.02.07	168	12A	ACRSCI	5480277	1130	C	+1A		67,0	8,5	1	FRP	VOLKER
20.01.07	84	2A	ACRSCI	5464019	1130	B	2A?		64,5	10,5	2	FRP	JULIO
21.01.07	84	2A	ACRSCI	5464049	1000	B	2A?		65,5	8,7	1	FRP	JULIO
21.01.07	84	2A	ACRSCI	5464056	1000	B	+1A		65,5	10,2	1	FRP	JULIO
02.02.07	72	2A	ACRSCI	5464305	1900	B	+1A		67,0	9,7	1	FRP	JULIO
02.02.07	72	2A	ACRSCI	5464326	0900	B	2A		64,5	7,8	1	FRP	JULIO
03.02.07	72	2A	ACRSCI	5464344	0900	B	2A		61,5	8,4	1	FRP	JULIO
03.02.07	72	2A	ACRSCI	5464346	0900	B	2A		66,5	9,5	1	FRP	JULIO
03.02.07	72	2A	ACRSCI	5464361	1000	B	2A		68,5	9,9	1	FRP	JULIO
03.02.07	72	2A	ACRSCI	5464365	1100	B	2A		65,0	9,5	1	FRP	JULIO
04.02.07	72	2A	ACRSCI	5464415	1100	B	+1A		65,0	9,2	1	FRP	JULIO
05.02.07	36	2A	ACRSCI	5464443	1130	B	+1A		65,0	9,3	1	FRP	JULIO
03.02.07	24	2A	ACRSCI	5475167	1730	B	+1A		64,0	9,0	1	FRP	OSKARS
21.01.07	84	2A	ACRSCI	5480048	1830	B	+1A		66,0	9,5	1	FRP	MARTIN
22.01.07	84	2A	ACRSCI	5480061	0900	B	+1A		62,0	9,2	1	FRP	MARTIN
22.01.07	84	2A	ACRSCI	5480067	1000	B	+1A		62,0	8,8	1	FRP	MARTIN
21.01.07	84	2A	ACRSCI	5288393	1830	C	+1A		68,0	11,0	2	FRP	MARTIN

22.01.07	84	2A	ACRSCI	5480061	1100	C	+1A		0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	ACRSCI	CD9705	1100	C	+1A		63,0	9,9	2	ESI	JULIO
06.02.07	60	2B	ACRSCI	5464469	0700	B	+1A		64,5	9,0	3	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464470	0700	B	+1A		67,0	9,7	1	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464471	0700	B	+1A		64,0	10,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464483	0900	B	2A		64,0	9,4	1	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464500	1000	B	+1A		64,0	9,5	1	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464501	1000	B	2A		63,0	8,8	1	FRP	JULIO
06.02.07	60	2B	ACRSCI	5464507	1030	B	2A		65,0	9,0	1	FRP	JULIO
07.02.07	60	2B	ACRSCI	5464528	0930	B	2A		64,5	9,8	1	FRP	JULIO
07.02.07	60	2B	ACRSCI	5464531	1000	B	2A		64,0	9,7	1	FRP	JULIO
07.02.07	60	2B	ACRSCI	5464532	1000	B	+1A		65,5	9,7	1	FRP	JULIO
07.02.07	60	2B	ACRSCI	5464544	1200	B	+1A		65,0	9,7	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464561	0830	B	+1A		66,0	9,6	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464567	0830	B	2A		64,0	9,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464571	0900	B	2A		65,0	0,0	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464586	1100	B	2A		62,5	9,0	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464589	1100	B	2A		66,0	9,2	1	FRP	JULIO
08.02.07	60	2B	ACRSCI	5464483	1000	C	2A		64,0	9,2	1	FRP	JULIO
23.01.07	72	6T	ACRSCI	5480100	1030	B	+1A		66,0	12,0	2	FRP	MARTIN
29.01.07	162	9D	ACRSCI	5480175	0845	B	+1A		65,5	9,4	1	FRP	BENEDIKT
22.01.07	84	2A	ANTRRI	5480072	1030	B	+1A		89,0	20,2	1	FRP	MARTIN
08.02.07	146	11	CALMIN	5475244	1030	B	+1A		104,0	21,5	1	FRP	OSKARS
21.01.07	180	3	CISJUN	RF6404	0900	B	+1A	2	51,0	8,0	1	FRP	MARTIN
21.01.07	180	3	CISJUN	RF6408	1000	B	+1A		50,0	8,3	1	FRP	MARTIN
30.01.07	48	10B	GALGAL	JA572003	0930	B	+1A	3	137,0	31,9	1	FRP	JULIO
26.01.07	216	9A	GALGAL	JA572105	0800	B	+1A	3	144,0	93,6	1	FRP	BENEDIKT
26.01.07	216	9A-T	GALGAL	JA572106	0800	B	+1A	4	140,5	100,1	1	FRP	BENEDIKT
26.01.07	216	9A-T	GALGAL	JA572107	0800	B	2A?		140,5	102,7	1	FRP	BENEDIKT
22.01.07	228	3	HIPOPA	5464076	0900	B	+1A		62,5	8,8	1	FRP	JULIO
02.02.07	72	2A	HIPOPA	5464316	0700	B	2A		70,0	11,2	1	FRP	JULIO
21.01.07	84	2A	HIPOPA	5480022	1700	B	+1A		66,0	10,7	1	FRP	MARTIN
05.02.07	36	2A	HIRRUS	5464459	1930	B	+1A		124,0	18,3	1	FRP	JULIO
02.02.07	72	2A	LOCLUS	5464319	0900	B	+1A		67,5	13,7	1	FRP	JULIO
22.01.07	84	2A	LOCLUS	5480074	1100	B	+1A		69,0	15,3	1	FRP	MARTIN
05.02.07	36	2A	LOCLUS	5480074	1800	C	+1A		69,0	14,7	1	FRP	JULIO
07.02.07	60	2B	LOCLUS	5464538	1100	B	+1A		69,5	13,0	1	FRP	JULIO
08.02.07	60	2B	LOCLUS	5464585	1100	B	+1A		68,5	14,8	2	FRP	JULIO
08.02.07	60	2B	LOCLUS	5464319	1000	C	+1A		67,5	14,6	1	FRP	JULIO
22.01.07	228	3	LOCNAE	5464075	0730	B	+1A		63,5	11,3	1	FRP	JULIO
22.01.07	228	3	LOCNAE	5464077	0900	B	2A		63,5	11,4	2	FRP	JULIO
20.01.07	96	3	LOCNAE	5480007	1200	B	+1A		66,5	17,2	3	FRP	MARTIN
21.01.07	15	3	LOCNAE	5480011	0900	B	+1A		63,0	10,5	2	FRP	MARTIN
21.01.07	15	3	LOCNAE	5480017	0900	B	+1A		61,5	12,0	2	FRP	MARTIN
21.01.07	84	5	LOCNAE	5511007	1915	B	+1A		0,0	0,0	1	FRP	STEPHAN
23.01.07	84	7	LOCNAE	5464090	0715	B	2A		62,0	14,1	3	FRP	JULIO
25.01.07	312	8	LOCNAE	5487163	0930	B	+1A		64,0	15,4	2	FRP	JULIO
01.02.07	153	11	LOCNAE	5475102	0800	B	+1A		63,0	12,6	2	FRP	BENEDIKT
01.02.07	153	11	LOCNAE	5475106	0800	B	+1A		68,5	16,0	4	FRP	BENEDIKT
01.02.07	153	11	LOCNAE	5475107	0800	B	+1A		63,5	15,2	3	FRP	BENEDIKT

01.02.07	153	11	LOCNAE	5475108	0800	B	+1A		63,5	16,7	3	FRP	BENEDIKT
02.02.07	144	11	LOCNAE	5475141	0730	B	+1A		66,5	0,0	1	FRP	BENEDIKT
05.02.07	120	11	LOCNAE	5475193	0830	B	+1A		65,0	15,5	3	FRP	OSKARS
08.02.07	146	11	LOCNAE	5475238	0930	B	+1A		66,0	17,5	2	FRP	OSKARS
08.02.07	146	11	LOCNAE	5475239	0930	B	+1A		67,0	13,0	1	FRP	OSKARS
08.02.07	146	11	LOCNAE	5475242	1030	B	+1A		64,0	0,0	2	FRP	OSKARS
01.02.07	153	11	LOCNAE	5480198	0715	B	+1A		63,5	14,2	2	FRP	BENEDIKT
07.02.07	180	13	LOCNAE	5480436	0800	B	+1A		66,5	15,3	2	FRP	VOLKER
07.02.07	180	13	LOCNAE	5480437	0800	B	+1A		64,5	18,7	3	FRP	VOLKER
07.02.07	180	13	LOCNAE	5480438	0800	B	+1A		65,0	17,5	2	FRP	VOLKER
08.02.07	180	13	LOCNAE	5480476	0730	B	+1A		61,0	13,3	1	FRP	VOLKER
25.01.07	180	10A	LOCNAE	5487196	1930	B	+1A		63,0	13,0	2	FRP	JULIO
28.01.07	12	10B	LOCNAE	5464151	0900	B	+1A		65,0	12,0	1	FRP	ANGELA
30.01.07	36	10B	LOCNAE	5464191	0830	B	+1A		64,0	12,0	2	FRP	ANATOLY
30.01.07	36	10B	LOCNAE	5464202	0930	B	+1A		64,5	12,5	2	FRP	ANATOLY
30.01.07	36	10B	LOCNAE	5464204	0930	B	+1A		62,5	13,5	2	FRP	ANATOLY
30.01.07	36	10B	LOCNAE	5464205	0930	B	+1A		61,0	12,0	2	FRP	ANATOLY
31.01.07	60	10B	LOCNAE	5464241	1030	B	+1A		67,5	15,0	3	FRP	ANGELA
31.01.07	60	10B	LOCNAE	5464242	1030	B	+1A		62,5	12,0	1	FRP	ANGELA
31.01.07	60	10B	LOCNAE	5464247	1200	B	+1A		65,0	12,5	2	FRP	ANGELA
29.01.07	72	10B	LOCNAE	5487251	0800	B	2A		64,5	12,6	2	FRP	JULIO
29.01.07	72	10B	LOCNAE	5487260	0900	B	2A		65,0	13,9	2	FRP	JULIO
07.02.07	24	10B	LOCNAE	5464205	0800	C	+1A		0,0	14,0	1	FRP	ANGELA
29.01.07	72	10B	LOCNAE	5487251	0900	C	+1A		0,0	11,6	1	FRP	JULIO
02.02.07	72	2A	LOCNAE	5464313	0700	B	+1A		63,5	17,6	3	FRP	JULIO
21.01.07	84	2A	LOCNAE	5480038	1830	B	+1A		0,0	0,0	1	FRP	MARTIN
06.02.07	60	2B	LOCNAE	5464464	0700	B	+1A		64,0	12,5	1	FRP	JULIO
24.01.07	200	9A	LOCNAE	5475004	1630	B	+1A		65,0	11,3	2	FRP	BENEDIKT
24.01.07	200	9A	LOCNAE	5475005	1745	B	+1A		67,0	14,9	2	FRP	BENEDIKT
26.01.07	318	9A	LOCNAE	5475099	1900	B	+1A		64,0	0,0	1	FRP	BENEDIKT
27.01.07	238	9A	LOCNAE	5480116	1000	B	+1A		62,0	11,4	1	FRP	MARTIN
25.01.07	200	9A-T	LOCNAE	5475022	0900	B	+1A		64,0	11,0	1	FRP	BENEDIKT
24.01.07	200	9B	LOCNAE	5475011	1845	B	+1A		63,5	17,5	3	FRP	BENEDIKT
25.01.07	200	9B	LOCNAE	5475025	0945	B	+1A		63,0	13,0	2	FRP	BENEDIKT
25.01.07	238	9B	LOCNAE	5475049	1830	B	+1A		64,0	13,2	2	FRP	MARTIN
25.01.07	238	9B	LOCNAE	5475062	1930	B	+1A		66,5	16,9	3	FRP	MARTIN
25.01.07	238	9B	LOCNAE	5475070	1930	B	+1A		65,0	15,5	3	FRP	MARTIN
25.01.07	238	9B	LOCNAE	R586576	1930	C	+1A		61,0	0,0	1	GBT	MARTIN
27.01.07	160	9D	LOCNAE	5480149	1915	B	+1A		64,0	15,4	1	FRP	BENEDIKT
21.01.07	180	1	LUSSVE	5487017	0800	B	+2A	2	72,0	15,1	1	FRP	BENEDIKT
20.01.07	96	3	LUSSVE	5480002	1000	B	+1A	1	79,0	0,0	1	FRP	MARTIN
21.01.07	15	3	LUSSVE	5480019	1100	B	+1A	2	72,0	15,5	1	FRP	MARTIN
22.01.07	108	4	LUSSVE	5487041	0800	B	+2A	2	78,0	16,6	1	FRP	BENEDIKT
22.01.07	108	4	LUSSVE	5487062	0930	B	2A	1	77,5	17,2	1	FRP	BENEDIKT
23.01.07	108	4	LUSSVE	5487083	0730	B	+2A	1	77,5	17,0	1	FRP	BENEDIKT
23.01.07	108	4	LUSSVE	5487084	0730	B	2A	1	74,0	15,4	1	FRP	BENEDIKT
23.01.07	120	5	LUSSVE	5511057	0700	B	+2A	1	75,0	17,0	1	FRP	ANGELA
23.01.07	120	5	LUSSVE	5511058	0700	B	2A	2	73,0	17,0	1	FRP	ANGELA
22.01.07	84	5	LUSSVE	SC96401	0730	B	+2A	2	76,0	18,0	1	FRP	STEPHAN
22.01.07	84	5	LUSSVE	SC96402	1900	B	+1A	1	77,0	19,0	1	FRP	STEPHAN

22.01.07	84	6	LUSSVE	5480088	1900	B	+1A	1	75,0	16,1	1	FRP	MARTIN
23.01.07	84	6	LUSSVE	5480095	0830	B	+2A	2	75,0	15,4	1	FRP	MARTIN
25.01.07	312	8	LUSSVE	5487143	0730	B	+2A	2	76,0	15,5	1	FRP	JULIO
25.01.07	312	8	LUSSVE	5487148	0730	B	+2A	2	75,0	16,1	1	FRP	JULIO
25.01.07	312	8	LUSSVE	5487149	0730	B	+2A	1	76,0	16,5	1	FRP	JULIO
05.02.07	120	11	LUSSVE	5475191	0830	B	2A	1	0,0	0,0	1	FRP	OSKARS
06.02.07	180	13	LUSSVE	5480390	0730	B	+2A	1	76,0	15,0	1	FRP	VOLKER
06.02.07	180	13	LUSSVE	5480397	0900	B	2A	1	78,0	16,9	1	FRP	VOLKER
06.02.07	180	13	LUSSVE	5480403	1000	B	2A	1	79,0	18,5	1	FRP	VOLKER
06.02.07	180	13	LUSSVE	5480425	1900	B	2A	1	76,0	17,2	1	FRP	VOLKER
06.02.07	180	13	LUSSVE	5480426	1900	B	+2A	2	74,5	19,3	1	FRP	VOLKER
07.02.07	180	13	LUSSVE	5480453	1130	B	2A	1	76,0	14,9	1	FRP	VOLKER
08.02.07	180	13	LUSSVE	5480487	0930	B	2A	1	74,0	16,1	1	FRP	VOLKER
07.02.07	180	13	LUSSVE	5480403	0830	C	+1A	1	0,0	16,9	1	FRP	VOLKER
07.02.07	24	10B	LUSSVE	5511078	0800	B	+1A	1	81,0	20,0	2	FRP	ANGELA
01.02.07	168	12A	LUSSVE	5480298	0830	B	+1A	2	75,0	16,3	1	FRP	MARTIN
02.02.07	168	12A	LUSSVE	5480345	0830	B	+1A	2	74,0	15,2	1	FRP	VOLKER
30.01.07	156	12B	LUSSVE	5464240	1900	B	2A	1	67,5	18,0	2	FRP	ANATOLY
21.01.07	84	2A	LUSSVE	5464048	1000	B	+2A	1	78,0	18,2	1	FRP	JULIO
21.01.07	84	2A	LUSSVE	5464067	1100	B	2A	1	79,0	17,2	1	FRP	JULIO
02.02.07	72	2A	LUSSVE	5464312	0700	B	2A	1	76,0	16,6	1	FRP	JULIO
02.02.07	72	2A	LUSSVE	5464315	0700	B	2A	1	78,0	15,3	1	FRP	JULIO
02.02.07	72	2A	LUSSVE	5464323	0900	B	2A	1	77,0	15,7	1	FRP	JULIO
03.02.07	72	2A	LUSSVE	5464335	0900	B	2A	1	77,5	17,4	1	FRP	JULIO
03.02.07	72	2A	LUSSVE	5464347	0900	B	+2A	1	76,5	16,4	1	FRP	JULIO
04.02.07	72	2A	LUSSVE	5464374	0800	B	+2A	1	79,5	16,8	1	FRP	JULIO
04.02.07	72	2A	LUSSVE	5464376	0800	B	+2A	2	77,0	16,3	1	FRP	JULIO
04.02.07	72	2A	LUSSVE	5464400	0900	B	+2A	1	80,0	16,8	1	FRP	JULIO
04.02.07	72	2A	LUSSVE	5464414	1100	B	2A	2	76,5	15,7	1	FRP	JULIO
05.02.07	36	2A	LUSSVE	5464428	0730	B	2A	1	76,5	16,2	2	FRP	JULIO
03.02.07	24	2A	LUSSVE	5475184	1930	B	+1A	1	80,0	18,5	1	FRP	OSKARS
21.01.07	84	2A	LUSSVE	5480034	1830	B	+2A	1	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480036	1830	B	2A	2	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480039	1830	B	2A	1	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480040	1830	B	2A	1	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480041	1830	B	2A	2	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480042	1830	B	+2A	1	0,0	0,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480046	1830	B	+1A	1	78,0	18,0	1	FRP	MARTIN
21.01.07	84	2A	LUSSVE	5480047	1830	B	+1A	1	77,0	17,5	1	FRP	MARTIN
22.01.07	84	2A	LUSSVE	5480051	0800	B	2A	1	75,5	17,0	1	FRP	MARTIN
22.01.07	84	2A	LUSSVE	5480053	0800	B	+1A	1	78,0	15,5	1	FRP	MARTIN
22.01.07	84	2AT	LUSSVE	5480059	0830	B	+1A	2	75,0	14,5	1	FRP	MARTIN
07.02.07	60	2B	LUSSVE	5464548	1700	B	+2A	1	79,0	17,5	1	FRP	JULIO
08.02.07	60	2B	LUSSVE	5464576	0900	B	+2A	2	74,5	16,4	1	FRP	JULIO
08.02.07	60	2B	LUSSVE	5464578	0900	B	2A	1	79,0	17,5	1	FRP	JULIO
27.01.07	238	9A	LUSSVE	5480123	1000	B	+2A	2	73,5	16,3	1	FRP	MARTIN
25.01.07	200	9B	LUSSVE	5475026	0945	B	2A	1	79,0	16,1	1	FRP	BENEDIKT
25.01.07	238	9B	LUSSVE	5475063	1930	B	+2A	1	76,0	17,4	1	FRP	MARTIN
25.01.07	238	9B	LUSSVE	5475068	1930	B	2A	2	74,0	0,0	1	FRP	MARTIN
25.01.07	238	9B	LUSSVE	5475069	1930	B	2A	2	73,0	15,6	1	FRP	MARTIN

28.01.07	160	9D	LUSSVE	5480156	1030	B	+2A	1	77,0	15,5	1	FRP	BENEDIKT
26.01.07	336	8	LUSSVE CYA	5487201	0730	B	+2A	1	77,0	16,3	1	FRP	JULIO
26.01.07	312	8	LUSSVE CYA	5487149	0730	C	+2A	1	0,0	16,0	1	FRP	JULIO
24.01.07	90	4	MOTALB	5487124	0930	B	2A	1	89,0	19,2	1	FRP	BENEDIKT
22.01.07	84	5	MOTALB	993960	1000	C	+2A	1	86,0	20,0	2	ISR	STEPHAN
20.01.07	108	1	MOTFLA	5487011	1100	B	+1A	1	78,0	16,3	1	FRP	BENEDIKT
21.01.07	180	1	MOTFLA	5487022	0900	B	+1A	1	82,0	15,5	1	FRP	BENEDIKT
21.01.07	180	1	MOTFLA	5487023	0900	B	+1A	2	73,0	14,6	1	FRP	BENEDIKT
21.01.07	180	1	MOTFLA	5487025	0900	B	+1A	1	79,0	16,0	1	FRP	BENEDIKT
21.01.07	180	1	MOTFLA	5487034	1130	B	+1A	2	76,0	14,3	1	FRP	BENEDIKT
21.01.07	180	1	MOTFLA	5487035	1130	B	+1A	1	79,0	15,7	1	FRP	BENEDIKT
20.01.07	96	3	MOTFLA	5480003	1000	B	+1A	1	78,5	0,0	1	FRP	MARTIN
20.01.07	96	3	MOTFLA	5480006	1100	B	+1A	1	78,0	15,5	1	FRP	MARTIN
21.01.07	15	3	MOTFLA	5480013	0900	B	+1A	1	82,0	15,8	1	FRP	MARTIN
21.01.07	19	3	MOTFLA	5480013	1645	C	+1A	1	82,0	16,3	1	FRP	JULIO
22.01.07	108	4	MOTFLA	5487067	0930	B	+1A	1	79,5	0,0	1	FRP	BENEDIKT
23.01.07	108	4	MOTFLA	5487101	0800	B	+1A	1	82,0	16,4	1	FRP	BENEDIKT
23.01.07	108	4	MOTFLA	5487105	1000	B	2A	1	80,0	15,4	1	FRP	BENEDIKT
23.01.07	70	4	MOTFLA	5487109	1830	B	2A	1	80,5	16,6	1	FRP	BENEDIKT
23.01.07	70	4	MOTFLA	5487110	1830	B	+1A	1	79,5	17,1	1	FRP	BENEDIKT
23.01.07	70	4	MOTFLA	5487111	1830	B	2A	1	79,5	18,6	1	FRP	BENEDIKT
22.01.07	84	5	MOTFLA	5511031	1100	B	+1A	1	78,0	17,0	1	FRP	STEPHAN
23.01.07	120	5	MOTFLA	5511055	0700	B	+1A	1	77,0	20,0	1	FRP	ANGELA
24.01.07	312	8	MOTFLA	5487127	1630	B	2A	1	80,5	17,1	1	FRP	JULIO
24.01.07	312	8	MOTFLA	5487130	1730	B	2A	1	74,0	14,9	1	FRP	JULIO
24.01.07	312	8	MOTFLA	5487131	1730	B	2A	1	78,0	16,8	1	FRP	JULIO
24.01.07	312	8	MOTFLA	5487134	1730	B	2A	1	76,0	15,4	1	FRP	JULIO
24.01.07	312	8	MOTFLA	5487136	1830	B	2A	2	76,0	15,0	2	FRP	JULIO
24.01.07	312	8	MOTFLA	5487137	1830	B	+1A	4	77,0	14,7	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487142	0730	B	2A	4	80,0	0,0	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487144	0730	B	2A	2	77,0	15,0	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487152	0830	B	2A	4	77,5	14,5	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487153	0830	B	2A	3	80,0	16,3	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487158	0830	B	2A	2	75,0	13,6	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487159	0830	B	2A	1	78,0	15,3	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487160	0830	B	2A	2	78,0	14,7	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487161	0830	B	2A	2	75,0	13,7	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487162	0830	B	+2A	1	85,0	14,7	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487164	0930	B	2A	3	81,0	16,0	2	FRP	JULIO
25.01.07	312	8	MOTFLA	5487165	0930	B	+2A	2	80,0	15,2	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487166	0930	B	2A	4	74,0	15,5	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487168	0930	B	2A	2	75,0	14,6	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487172	1030	B	2A	2	75,5	15,0	2	FRP	JULIO
25.01.07	312	8	MOTFLA	5487174	1030	B	2A	3	74,5	13,8	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487175	1030	B	+2A	2	78,0	15,3	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487177	1130	B	2A	4	77,0	15,3	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487178	1130	B	2A		77,5	15,2	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487179	1130	B	2A	4	77,5	14,8	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487181	1130	B	2A	4	77,0	14,5	1	FRP	JULIO

25.01.07	312	8	MOTFLA	5487182	1130	B	2A	1	82,0	16,8	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487204	0800	B	2A	4	73,5	14,3	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487205	0800	B	2A	4	75,0	14,2	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487206	0800	B	2A	2	71,5	14,2	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487207	0900	B	2A	1	82,0	16,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487208	0900	B	2A	4	76,0	15,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487209	0900	B	+2A		79,5	15,1	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487212	0900	B	2A	2	77,5	15,0	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487213	0900	B	2A	4	76,5	13,8	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487214	0900	B	2A		81,5	15,3	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487217	0900	B	2A		80,5	15,5	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487220	0900	B	2A		80,5	16,0	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487132	1130	C	2A		0,0	17,2	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487133	0930	C	2A	1	0,0	16,6	2	FRP	JULIO
25.01.07	312	8	MOTFLA	5487134	1130	C	2A	1	0,0	15,2	1	FRP	JULIO
25.01.07	312	8	MOTFLA	5487158	1130	C	2A		0,0	0,0	1	FRP	JULIO
01.02.07	153	11	MOTFLA	5475101	0800	B	2A	2	75,0	13,3	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475103	0800	B	2A	2	76,5	13,5	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475109	0800	B	2A	1	81,0	14,4	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475111	0800	B	+2A	2	77,0	14,2	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475112	0800	B	2A	2	75,0	13,1	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475113	0800	B	2A	2	74,0	14,7	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475114	0800	B	2A	2	76,0	14,2	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475116	0900	B	2A	1	78,0	15,9	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475117	0900	B	+2A	2	79,0	14,9	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475118	0900	B	+2A	2	74,0	14,0	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475121	0900	B	+2A		74,5	13,3	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475123	1000	B	+2A	2	77,0	15,7	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475124	1000	B	+2A	2	78,0	15,7	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475130	1100	B	+2A	2	74,5	15,5	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475131	1100	B	+2A	2	76,5	14,8	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475132	1100	B	+2A	2	76,5	15,5	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5475134	1100	B	+1A	2	78,5	15,3	1	FRP	BENEDIKT
01.02.07	144	11	MOTFLA	5475139	1830	B	+2A	1	81,0	16,0	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475142	0800	B	+2A	2	76,0	13,5	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475144	0800	B	+2A	1	78,5	15,0	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475145	0800	B	+2A	1	77,0	13,7	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475146	0800	B	+2A	1	79,0	14,1	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475150	1000	B	2A	2	77,0	14,4	1	FRP	BENEDIKT
02.02.07	144	11	MOTFLA	5475153	1130	B	2A	1	80,0	20,0	3	FRP	BENEDIKT
05.02.07	120	11	MOTFLA	5475190	0730	B	2A	4	77,5	14,0	1	FRP	OSKARS
05.02.07	120	11	MOTFLA	5475192	0830	B	2A	2	79,0	13,8	1	FRP	OSKARS
05.02.07	120	11	MOTFLA	5475194	0830	B	2A	2	75,0	14,0	1	FRP	OSKARS
05.02.07	120	11	MOTFLA	5475195	1000	B	2A	4	74,0	15,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475197	0900	B	2A	2	76,0	13,5	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475198	0900	B	+2A	2	79,0	14,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475199	0900	B	2A	2	77,0	13,5	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475200	0900	B	2A	1	82,0	16,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475201	0900	B	2A	1	80,0	15,2	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475202	0900	B	2A	1	80,0	17,0	1	FRP	OSKARS

07.02.07	146	11	MOTFLA	5475203	0900	B	2A	1	79,0	16,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475207	0900	B	+2A	1	81,0	16,3	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475208	0900	B	2A	1	82,0	17,4	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475212	1000	B	+2A	1	83,0	19,5	2	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475213	1000	B	2A	2	76,0	15,2	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475215	1130	B	2A	1	79,0	15,5	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475216	1130	B	+2A	1	80,0	14,8	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475218	1900	B	2A	4	77,0	15,7	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475219	1900	B	+2A	4	77,0	15,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475220	1900	B	2A	1	80,0	17,0	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475221	1900	B	2A	2	76,0	14,5	1	FRP	OSKARS
07.02.07	146	11	MOTFLA	5475222	1900	B	2A	2	80,0	16,0	1	FRP	OSKARS
08.02.07	146	11	MOTFLA	5475240	0930	B	2A	1	78,0	15,7	1	FRP	OSKARS
08.02.07	146	11	MOTFLA	5475243	1130	B	2A	4	79,0	14,5	1	FRP	OSKARS
08.02.07	146	11	MOTFLA	5475245	1030	B	2A	1	81,0	15,7	1	FRP	OSKARS
30.01.07	153	11	MOTFLA	5480187	1000	B	2A	2	73,5	14,6	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480188	1100	B	+2A	1	84,0	15,4	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480189	1100	B	2A	2	74,5	15,2	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480190	1100	B	+2A	2	75,0	15,3	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480193	1900	B	2A	2	78,5	15,2	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480194	1900	B	2A	1	79,5	18,6	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480195	1900	B	+2A	2	72,0	15,3	1	FRP	ABDOULAY
30.01.07	153	11	MOTFLA	5480196	1915	B	+2A	2	78,5	16,2	1	FRP	ABDOULAY
01.02.07	153	11	MOTFLA	5480199	0715	B	2A	1	78,0	14,6	1	FRP	BENEDIKT
01.02.07	153	11	MOTFLA	5480200	0800	B	2A	2	77,0	14,6	1	FRP	BENEDIKT
01.02.07	144	11	MOTFLA	5480187	1830	C	+2A	2	76,0	15,0	1	FRP	BENEDIKT
30.01.07	153	11	MOTFLA	5480188	1900	C	+1A		0,0	15,6	1	FRP	ABDOU
02.02.07	144	11	MOTFLA	5480190	1000	C	2A	2	0,0	15,2	1	FRP	BENEDIKT
06.02.07	180	13	MOTFLA	5480406	1030	B	2A	2	76,0	14,3	1	FRP	VOLKER
06.02.07	180	13	MOTFLA	5480407	1030	B	+1A		79,5	16,0	1	FRP	VOLKER
06.02.07	180	13	MOTFLA	5480408	1030	B	2A	2	77,0	15,5	1	FRP	VOLKER
06.02.07	180	13	MOTFLA	5480418	1900	B	2A	2	76,0	15,4	1	FRP	VOLKER
06.02.07	180	13	MOTFLA	5480422	1900	B	+1A	2	78,0	15,6	1	FRP	VOLKER
06.02.07	180	13	MOTFLA	5480423	1900	B	+1A	2	76,5	13,2	1	FRP	VOLKER
07.02.07	180	13	MOTFLA	5480451	1100	B	2A	1	80,5	21,2	2	FRP	VOLKER
08.02.07	180	13	MOTFLA	5480484	0830	B	2A	2	75,0	15,3	1	FRP	VOLKER
02.02.07	72	15	MOTFLA	5464296	1000	B	2A	1	81,0	15,7	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464113	0800	B	2A	1	79,0	14,7	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464119	1000	B	2A	2	0,0	0,0	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464120	1000	B	2A	2	75,5	14,0	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464121	1000	B	+2A	2	78,0	16,0	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464122	1130	B	2A	2	75,0	14,0	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464123	1130	B	+2A	1	81,0	17,5	1	FRP	JULIO
27.01.07	180	10A	MOTFLA	5464124	1130	B	2A	1	78,5	16,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464125	1800	B	+2A		79,0	15,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464126	1800	B	2A	2	75,5	14,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464127	1830	B	2A	2	78,0	16,0	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464128	1830	B	+2A		77,0	15,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464129	1830	B	+2A	1	78,0	17,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464130	1830	B	2A		76,5	15,0	1	FRP	JULIO

27.01.07	204	10A	MOTFLA	5464131	1830	B	2A		74,0	16,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464132	1830	B	2A		79,0	16,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464133	1830	B	2A		75,5	16,5	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464134	1830	B	2A		77,0	17,7	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464135	1830	B	2A		76,5	16,0	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464136	1830	B	+2A		75,5	16,0	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464138	1830	B	2A	1	79,0	16,0	1	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464139	1830	B	2A		77,0	15,0	2	FRP	JULIO
27.01.07	204	10A	MOTFLA	5464140	1830	B	2A		75,0	15,5	1	FRP	JULIO
28.01.07	222	10A	MOTFLA	5464143	0900	B	2A	2	75,0	14,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464155	0900	B	2A		76,5	14,5	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464159	1000	B	2A	2	76,0	14,5	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464160	1000	B	2A	1	83,5	14,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464162	1000	B	2A	1	84,5	15,7	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464165	1000	B	2A	1	79,0	16,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464166	1000	B	+2A	2	0,0	15,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464167	1000	B	2A	2	75,5	14,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464169	1030	B	2A	2	75,5	15,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464170	1030	B	+2A	1	77,5	16,5	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464171	1030	B	2A	2	75,5	15,5	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464172	1130	B	2A		78,0	14,5	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464173	1130	B	2A	1	78,0	17,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464177	1200	B	2A	2	73,0	16,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464178	1200	B	2A	2	76,0	15,0	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464179	1200	B	2A		76,0	15,0	1	FRP	ANGELA
25.01.07	180	10A	MOTFLA	5487191	1830	B	+2A	2	77,0	16,0	2	FRP	JULIO
25.01.07	180	10A	MOTFLA	5487192	1900	B	2A	2	78,5	17,7	2	FRP	JULIO
28.01.07	222	10A	MOTFLA	5464118	1000	C	+1A		0,0	17,4	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464123	1000	C	+1A		0,0	16,4	1	FRP	ANGELA
28.01.07	222	10A	MOTFLA	5464125	1000	C	+1A		0,0	14,0	1	FRP	ANGELA
25.01.07	12	10B	MOTFLA	5464100	1730	B	2A	2	78,5	16,6	1	FRP	JULIO
25.01.07	12	10B	MOTFLA	5464107	1900	B	2A	4	79,5	16,0	1	FRP	JULIO
25.01.07	12	10B	MOTFLA	5464108	1900	B	2A	2	76,5	16,7	1	FRP	JULIO
25.01.07	12	10B	MOTFLA	5464109	1900	B	2A		77,0	16,5	1	FRP	JULIO
25.01.07	12	10B	MOTFLA	5464110	1900	B	2A		79,5	14,7	1	FRP	JULIO
25.01.07	12	10B	MOTFLA	5464111	1900	B	2A	1	80,0	18,0	2	FRP	JULIO
27.01.07	24	10B	MOTFLA	5464112	0800	B	+2A	2	77,0	13,8	1	FRP	JULIO
28.01.07	12	10B	MOTFLA	5464141	0900	B	2A	2	76,0	14,0	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464142	0900	B	2A	1	75,0	14,5	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464145	0900	B	2A	1	80,5	15,0	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464147	0900	B	2A	1	78,5	15,0	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464148	0900	B	2A	1	77,5	15,5	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464175	1130	B	2A	2	77,0	15,0	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464176	1130	B	2A		75,0	17,0	1	FRP	ANGELA
28.01.07	12	10B	MOTFLA	5464186	1730	B	2A	1	79,5	16,3	1	FRP	MARTIN
30.01.07	36	10B	MOTFLA	5464188	0830	B	2A	1	78,0	17,0	1	FRP	ANATOLY
30.01.07	36	10B	MOTFLA	5464197	0930	B	+2A	1	82,5	17,8	2	FRP	ANATOLY
30.01.07	36	10B	MOTFLA	5464199	0930	B	2A		77,0	15,6	2	FRP	ANATOLY
30.01.07	36	10B	MOTFLA	5464203	0930	B	2A	2	76,0	15,0	1	FRP	ANATOLY
27.01.07	85	10B	MOTFLA	5487232	0815	B	2A	2	74,0	14,6	1	FRP	JULIO

27.01.07	85	10B	MOTFLA	5487236	1700	B	2A		75,5	15,9	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487237	1700	B	2A	2	75,0	16,5	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487239	1700	B	+2A	2	74,0	13,8	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487240	1700	B	2A	1	78,0	17,7	2	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487241	1700	B	2A	4	74,0	16,8	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487244	1830	B	2A		79,0	15,1	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487245	1830	B	2A	4	0,0	15,1	1	FRP	JULIO
27.01.07	85	10B	MOTFLA	5487246	1830	B	2A	4	75,0	15,2	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487247	0800	B	2A	1	79,0	17,6	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487248	0800	B	2A	2	75,0	15,1	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487249	0800	B	2A	1	78,0	15,5	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487250	0800	B	2A	2	74,0	15,6	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487254	0800	B	+2A		83,0	18,0	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487257	0900	B	2A	4	81,5	16,3	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487258	0900	B	2A	1	76,0	16,8	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487259	0900	B	2A	2	74,0	14,0	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487261	0900	B	+2A	1	83,0	17,9	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487262	0900	B	+1A	2	76,5	14,7	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487263	0900	B	2A	2	75,0	14,7	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487264	0900	B	2A	1	85,0	14,1	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487265	0900	B	+1A	4	73,5	14,6	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487266	0900	B	2A	2	73,5	15,3	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487267	0900	B	2A	2	75,5	14,4	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487268	0900	B	+2A	2	77,0	15,3	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487269	0900	B	2A	2	76,0	15,4	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487270	0900	B	+2A	1	77,5	14,9	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487271	0900	B	+1A	2	74,5	15,8	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487272	0900	B	2A	1	80,0	14,6	1	FRP	JULIO
29.01.07	72	10B	MOTFLA	5487273	0900	B	2A	1	75,5	15,0	1	FRP	JULIO
30.01.07	48	10B	MOTFLA	5487276	0830	B	2A		77,5	16,3	1	FRP	JULIO
30.01.07	48	10B	MOTFLA	5487281	0930	B	2A		78,0	16,5	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487289	0800	B	+1A		80,0	14,8	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487290	0800	B	+1A	1	84,0	14,3	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487291	0800	B	2A	2	74,5	13,1	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487292	0800	B	+2A	1	82,5	15,8	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487293	0800	B	2A	2	74,0	13,2	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487294	0800	B	2A	1	78,5	15,5	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487295	0800	B	2A	2	75,5	13,3	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487296	0800	B	2A		74,5	14,1	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487297	0800	B	2A	2	78,0	14,1	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487298	0800	B	2A	2	74,5	12,7	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487299	0800	B	2A	2	77,0	14,3	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487300	0830	B	2A	2	76,0	14,6	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487301	0830	B	+2A	2	78,5	15,0	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487303	0830	B	2A	2	76,0	15,0	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487304	0830	B	+2A	4	78,0	15,3	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487305	0830	B	+2A	1	78,0	16,0	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487307	0800	B	2A	1	77,5	16,5	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487315	0800	B	2A		78,0	15,5	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487316	0800	B	2A		0,0	13,9	1	FRP	JULIO

01.02.07	72	10B	MOTFLA	5487317	0800	B	2A	1	80,0	16,4	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487318	0800	B	+2A	2	81,0	14,3	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487320	0800	B	2A		77,0	14,5	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487322	1000	B	2A		73,0	0,0	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487325	1000	B	2A	2	75,0	14,1	1	FRP	JULIO
01.02.07	72	10B	MOTFLA	5487326	1000	B	2A		76,0	14,5	1	FRP	JULIO
07.02.07	24	10B	MOTFLA	5511085	1030	B	+2A	1	81,0	19,0	1	FRP	ANGELA
29.01.07	72	10B	MOTFLA	T221247	0900	C	+1A	2	77,0	15,4	1	GBT	JULIO
05.02.07	144	12A	MOTFLA	5480379	0830	B	2A	2	80,0	13,9	1	FRP	VOLKER
05.02.07	144	12A	MOTFLA	5480382	0900	B	2A	2	76,0	14,5	1	FRP	VOLKER
02.02.07	168	12A	MOTFLA	5480303	1130	C	2A	2	0,0	13,5	1	FRP	VOLKER
30.01.07	156	12B	MOTFLA	5464217	1830	B	2A		76,5	14,4	1	FRP	ANATOLY
30.01.07	156	12B	MOTFLA	5464230	1900	B	+2A		77,0	16,5	1	FRP	ANATOLY
01.02.07	156	12B	MOTFLA	5464280	1200	B	2A		77,5	14,9	1	FRP	ANGELA
02.02.07	130	12B	MOTFLA	5480346	0830	B	+1A		78,0	13,5	1	FRP	ANGELA
02.02.07	130	12B	MOTFLA	5480361	1100	B	+1A		78,0	0,0	1	FRP	ANGELA
02.02.07	130	12B	MOTFLA	5480362	1100	B	+1A		78,0	14,9	1	FRP	ANGELA
02.02.07	30	12B	MOTFLA	5487333	0800	B	+1A	2	76,5	13,5	1	FRP	CARLOS
02.02.07	30	12B	MOTFLA	5487336	0800	B	2A	1	82,0	14,0	1	FRP	CARLOS
01.02.07	156	12T	MOTFLA	5464264	0945	B	2A	2	78,0	14,5	1	FRP	ANGELA
01.02.07	168	12T	MOTFLA	5480307	1000	B	2A	2	79,0	14,2	1	FRP	MARTIN
06.02.07	180	13T	MOTFLA	5480417	1830	B	+1A		0,0	0,0	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA	5480441	0800	B	2A	2	76,5	8,4	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA	5480442	0830	B	2A	2	76,5	8,3	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA	5480443	0830	B	+1A	1	80,0	15,4	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA	5480454	1130	B	+1A	1	80,5	18,7	2	FRP	VOLKER
07.02.07	180	13T	MOTFLA	5480474	1830	B	2A	2	79,5	16,9	1	FRP	VOLKER
03.02.07	24	14A	MOTFLA	5475162	1030	B	2A	1	76,0	15,7	1	FRP	OSKARS
20.01.07	84	2A	MOTFLA	5464009	1030	B	+1A		80,5	17,0	1	FRP	JULIO
20.01.07	84	2A	MOTFLA	5464021	1130	B	+2A		69,0	15,0	2	FRP	JULIO
20.01.07	84	2A	MOTFLA	5464024	1200	B	+2A	1	81,5	16,0	1	FRP	JULIO
21.01.07	84	2A	MOTFLA	5464070	1100	B	+1A		77,0	14,7	1	FRP	JULIO
02.02.07	72	2A	MOTFLA	5464317	0700	B	2A		78,5	15,3	1	FRP	JULIO
02.02.07	72	2A	MOTFLA	5464324	0900	B	2A	4	78,0	14,6	1	FRP	JULIO
02.02.07	72	2A	MOTFLA	5464330	0900	B	+2A	2	67,0	14,7	1	FRP	JULIO
03.02.07	72	2A	MOTFLA	5464342	0900	B	2A	4	66,0	13,3	1	FRP	JULIO
03.02.07	72	2A	MOTFLA	5464349	0900	B	+2A	2	74,5	13,9	1	FRP	JULIO
03.02.07	72	2A	MOTFLA	5464350	0900	B	2A	1	81,0	15,5	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464372	0800	B	+1A	1	85,0	15,7	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464377	0800	B	2A	1	81,0	14,8	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464378	0800	B	+2A	1	78,0	13,7	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464380	0800	B	2A	2	76,5	13,3	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464382	0800	B	2A	2	78,0	14,5	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464411	1030	B	2A	2	75,0	12,7	1	FRP	JULIO
04.02.07	72	2A	MOTFLA	5464417	1100	B	2A	2	78,0	15,5	1	FRP	JULIO
05.02.07	36	2A	MOTFLA	5464427	0730	B	2A	2	76,0	13,5	1	FRP	JULIO
05.02.07	36	2A	MOTFLA	5464429	0730	B	2A	1	79,5	14,8	1	FRP	JULIO
05.02.07	36	2A	MOTFLA	5464436	1130	B	+2A	2	78,5	13,8	1	FRP	JULIO
05.02.07	36	2A	MOTFLA	5464441	1130	B	2A	2	77,0	14,2	1	FRP	JULIO
05.02.07	36	2A	MOTFLA	5464442	1130	B	2A	1	79,5	14,7	1	FRP	JULIO

05.02.07	36	2A	MOTFLA	5464450	1800	B	2A	1	78,5	16,1	1	FRP	JULIO
21.01.07	84	2A	MOTFLA	5480024	1730	B	+1A	2	76,0	15,5	1	FRP	MARTIN
21.01.07	84	2A	MOTFLA	5480026	1800	B	+1A	1	84,0	16,8	1	FRP	MARTIN
22.01.07	84	2A	MOTFLA	5480064	0900	B	+1A	2	74,5	12,9	1	FRP	MARTIN
22.01.07	84	2A	MOTFLA	5480073	1030	B	+1A	3	74,0	15,0	1	FRP	MARTIN
22.01.07	84	2A	MOTFLA	5480079	1100	B	+2A	1	84,0	15,4	1	FRP	MARTIN
04.02.07	72	2A	MOTFLA	5464009	1100	C	2A	1	82,0	18,1	1	FRP	JULIO
21.01.07	84	2AT	MOTFLA	5480023	1730	B	+1A	2	80,0	16,5	1	FRP	MARTIN
21.01.07	84	2AT	MOTFLA	5480030	1830	B	+1A	1	85,0	17,5	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480055	0830	B	+1A	2	75,5	13,0	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480056	0830	B	+1A	2	76,0	15,0	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480058	0830	B	+1A	1	76,5	17,5	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480071	1030	B	+1A	1	85,0	15,2	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480077	1100	B	+1A	1	80,5	17,5	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480078	1100	B	+1A	2	77,5	15,0	1	FRP	MARTIN
22.01.07	84	2AT	MOTFLA	5480080	1100	B	+1A		78,0	14,8	1	FRP	MARTIN
06.02.07	60	2B	MOTFLA	5464480	0900	B	2A	1	70,5	15,6	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464484	1000	B	+2A	1	85,0	16,8	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464485	0900	B	+1A		64,0	9,6	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464486	0900	B	+1A		65,0	10,2	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464487	0900	B	+1A		67,5	10,8	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464488	0900	B	+1A		69,0	9,9	1	FRP	JULIO
06.02.07	60	2B	MOTFLA	5464505	1030	B	+2A	1	81,0	16,2	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464522	0900	B	2A	1	80,0	17,2	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464523	0900	B	2A	1	82,0	16,6	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464525	0900	B	+2A	1	81,0	17,2	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464535	1030	B	+2A	2	75,5	15,3	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464540	1130	B	+2A	1	81,5	16,4	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464542	1130	B	+2A	1	82,5	17,7	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464545	1700	B	+2A	1	82,0	17,9	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464546	1700	B	+2A	1	80,0	16,7	1	FRP	JULIO
07.02.07	60	2B	MOTFLA	5464549	1700	B	+2A	1	83,5	17,5	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464555	0830	B	+2A	2	78,0	14,7	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464556	0830	B	+2A	2	77,0	14,8	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464559	0830	B	+2A	1	83,0	15,7	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464572	0900	B	+2A	2	79,0	14,8	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464574	0900	B	2A	1	81,0	14,8	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464577	0900	B	+2A	2	75,0	14,5	1	FRP	JULIO
08.02.07	60	2B	MOTFLA	5464535	1130	C	+2A		75,0	14,5	1	FRP	JULIO
24.01.07	200	9A	MOTFLA	5475003	1630	B	+2A	1	80,5	17,2	2	FRP	BENEDIKT
24.01.07	200	9A	MOTFLA	5475006	1845	B	+2A	1	84,0	17,2	1	FRP	BENEDIKT
25.01.07	200	9A	MOTFLA	5475020	0900	B	+1A		77,0	15,0	1	FRP	BENEDIKT
25.01.07	200	9A	MOTFLA	5475024	0900	B	+1A	2	75,0	14,5	1	FRP	BENEDIKT
25.01.07	200	9A	MOTFLA	5475032	1015	B	+2A	2	67,5	16,1	1	FRP	BENEDIKT
25.01.07	238	9A	MOTFLA	5475051	1830	B	2A	1	80,0	15,7	1	FRP	MARTIN
25.01.07	238	9A	MOTFLA	5475053	1930	B	+1A	2	76,5	14,6	1	FRP	MARTIN
25.01.07	238	9A	MOTFLA	5475057	1930	B	+1A	2	67,5	10,4	1	FRP	MARTIN
25.01.07	238	9A	MOTFLA	5475058	1930	B	+2A	1	82,5	17,3	1	FRP	MARTIN
25.01.07	238	9A	MOTFLA	5475059	1930	B	+1A	2	75,5	16,3	1	FRP	MARTIN
26.01.07	216	9A	MOTFLA	5475075	0800	B	+2A	2	82,0	15,3	1	FRP	BENEDIKT

26.01.07	216	9A	MOTFLA	5475079	0800	B	+2A	2	74,5	14,5	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475080	0800	B	+2A	2	75,0	13,9	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475081	0800	B	2A		75,0	16,1	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475084	0800	B	+2A	1	80,0	16,3	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475085	0800	B	2A	1	79,0	13,9	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475086	0800	B	2A	2	74,0	14,7	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475087	0800	B	+2A	4	80,0	15,8	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475088	0800	B	+2A	1	84,0	17,0	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475089	0800	B	+2A	2	77,0	16,0	1	FRP	BENEDIKT
26.01.07	216	9A	MOTFLA	5475090	0800	B	+2A	4	77,0	15,3	1	FRP	BENEDIKT
26.01.07	318	9A	MOTFLA	5475093	1800	B	+2A	1	80,5	17,1	1	FRP	BENEDIKT
26.01.07	318	9A	MOTFLA	5475094	1900	B	+2A	1	78,0	15,9	1	FRP	BENEDIKT
26.01.07	318	9A	MOTFLA	5475095	1900	B	+1A	2	72,0	15,7	1	FRP	BENEDIKT
26.01.07	318	9A	MOTFLA	5475098	1900	B	+1A		79,0	0,0	1	FRP	BENEDIKT
26.01.07	318	9A	MOTFLA	5475100	1900	B	+2A	1	78,5	16,8	1	FRP	BENEDIKT
27.01.07	238	9A	MOTFLA	5480120	1000	B	2A	2	76,0	15,4	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480124	1000	B	+1A	2	78,0	14,3	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480128	1000	B	2A	2	74,0	13,6	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480129	1100	B	+2A	1	77,0	14,8	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480131	1100	B	+2A	2	79,0	14,9	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480132	1100	B	2A	2	78,0	16,9	1	FRP	MARTIN
27.01.07	238	9A	MOTFLA	5480133	1100	B	2A	2	75,0	15,0	1	FRP	MARTIN
25.01.07	238	9A	MOTFLA	5475024	1930	C	+1A		0,0	0,0		FRP	MARTIN
26.01.07	216	9A	MOTFLA	5475050	0800	C	2A	1	0,0	12,9	1	FRP	BENEDIKT
24.01.07	200	9A-T	MOTFLA	5475014	1845	B	+2A	1	80,0	17,6	1	FRP	BENEDIKT
25.01.07	200	9A-T	MOTFLA	5475029	0945	B	2A	1	78,0	14,2	1	FRP	BENEDIKT
25.01.07	200	9A-T	MOTFLA	5475030	0945	B	2A	1	80,0	17,5	1	FRP	BENEDIKT
25.01.07	238	9A-T	MOTFLA	5475052	1900	B	2A	2	74,0	13,3	1	FRP	MARTIN
25.01.07	238	9A-T	MOTFLA	5475055	1930	B	2A	2	80,0	15,4	1	FRP	MARTIN
26.01.07	216	9A-T	MOTFLA	5475082	0800	B	+2A	1	80,5	15,5	1	FRP	BENEDIKT
27.01.07	238	9A-T	MOTFLA	5480117	1000	B	+2A	2	78,5	13,1	1	FRP	MARTIN
27.01.07	238	9A-T	MOTFLA	5480118	1000	B	+1A	1	82,5	15,1	1	FRP	MARTIN
27.01.07	238	9A-T	MOTFLA	5480134	1100	B	2A	2	75,5	15,5	1	FRP	MARTIN
27.01.07	238	9A-T	MOTFLA	5480137	1100	B	2A	1	77,0	13,9	1	FRP	MARTIN
27.01.07	238	9A-T	MOTFLA	5480138	1100	B	+1A	2	77,5	15,4	1	FRP	MARTIN
27.01.07	238	9A-T	MOTFLA	5480139	1100	B	+2A	2	76,0	13,7	1	FRP	MARTIN
26.01.07	216	9A-T	MOTFLA	5475002	0800	C	+2A	1	0,0	15,5	1	FRP	BENEDIKT
27.01.07	238	9A-T	MOTFLA	5475030	1000	C	+1A		0,0	17,1	1	FRP	MARTIN
25.01.07	238	9A-T	MOTFLA	5475044	1900	C	+1A		0,0	16,5	1	FRP	MARTIN
24.01.07	200	9B	MOTFLA	5475001	1630	B	+1A	2	78,5	15,0	1	FRP	BENEDIKT
24.01.07	200	9B	MOTFLA	5475002	1630	B	+2A	1	80,5	16,5	1	FRP	BENEDIKT
24.01.07	200	9B	MOTFLA	5475007	1845	B	+1A	1	82,0	0,0	1	FRP	BENEDIKT
24.01.07	200	9B	MOTFLA	5475012	1845	B	+2A	1	80,5	16,2	1	FRP	BENEDIKT
24.01.07	200	9B	MOTFLA	5475013	1845	B	+2A	2	76,0	14,8	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475017	0830	B	2A	2	76,0	14,7	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475027	0945	B	+2A	2	74,0	14,2	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475037	1115	B	+2A	1	81,0	17,3	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475038	1115	B	2A	1	78,0	15,3	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475040	1115	B	+2A	2	78,0	15,3	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475041	1115	B	2A	1	76,5	14,4	1	FRP	BENEDIKT

25.01.07	200	9B	MOTFLA	5475042	1115	B	2A	2	78,0	14,3	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475043	1115	B	+2A	2	76,0	15,0	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475044	1115	B	+2A	1	80,0	15,7	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475046	1115	B	+2A	1	80,0	15,9	1	FRP	BENEDIKT
25.01.07	200	9B	MOTFLA	5475047	1115	B	+2A	1	79,5	16,9	1	FRP	BENEDIKT
25.01.07	238	9B	MOTFLA	5475048	1740	B	2A	1	75,0	15,6	1	FRP	MARTIN
25.01.07	238	9B	MOTFLA	5475050	1830	B	2A	1	73,0	14,1	1	FRP	MARTIN
25.01.07	238	9B	MOTFLA	5475060	1930	B	2A	2	74,5	15,9	1	FRP	MARTIN
25.01.07	238	9B	MOTFLA	5475061	1930	B	+2A	1	81,0	15,3	1	FRP	MARTIN
27.01.07	238	9B	MOTFLA	5480119	1000	B	+1A	1	80,0	15,1	1	FRP	MARTIN
27.01.07	238	9B	MOTFLA	5480122	1000	B	+1A	2	78,0	14,8	1	FRP	MARTIN
27.01.07	238	9B	MOTFLA	5480126	1000	B	2A	2	77,0	13,8	1	FRP	MARTIN
27.01.07	238	9B	MOTFLA	5480140	1100	B	+2A	2	79,5	15,5	1	FRP	MARTIN
27.01.07	238	9B	MOTFLA	5480145	1100	B	+1A	1	81,0	17,7	2	FRP	MARTIN
26.01.07	216	9B	MOTFLA	5475042	0800	C	2A	2	0,0	13,5	1	FRP	BENEDIKT
27.01.07	238	9B	MOTFLA	5475044	1100	C	+1A	1	0,0	15,2	1	FRP	MARTIN
25.01.07	238	9B	MOTFLA	5475047	1830	C	+1A		0,0	17,3	2	FRP	MARTIN
26.01.07	318	9B	MOTFLA	5475047	1800	C	+1A		0,0	16,1	1	FRP	BENEDIKT
27.01.07	168	9C	MOTFLA	5480202	1815	B	+2A	2	78,0	15,5	1	FRP	MARTIN
27.01.07	168	9C	MOTFLA	5480205	1900	B	+1A	2	79,5	16,2	1	FRP	MARTIN
27.01.07	168	9C	MOTFLA	5480207	1900	B	+1A	2	75,3	15,6	1	FRP	MARTIN
27.01.07	168	9C	MOTFLA	5480208	1900	B	+2A	1	79,0	16,8	1	FRP	MARTIN
27.01.07	168	9C	MOTFLA	5480213	1900	B	2A	1	80,0	16,2	1	FRP	MARTIN
27.01.07	168	9C	MOTFLA	5480214	1900	B	+1A	1	82,0	22,0	4	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480216	0800	B	2A	2	70,0	15,0	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480218	1000	B	+1A	2	77,0	16,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480220	1000	B	+1A		73,0	16,0	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480224	1000	B	+1A	2	76,0	15,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480226	1000	B	2A	2	75,0	13,2	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480227	1000	B	2A	2	78,0	15,0	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480229	1000	B	+1A	2	78,0	16,0	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480230	1000	B	2A	2	76,0	14,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480231	1000	B	+1A	2	78,0	15,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480236	1100	B	2A	2	76,0	14,6	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480238	1100	B	+1A	2	78,5	15,8	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480241	1200	B	2A	2	77,0	14,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480242	1800	B	2A	1	80,5	18,0	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480251	0800	B	2A	1	81,0	15,5	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480253	0800	B	+1A	2	73,0	14,4	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480257	0930	B	+1A	2	80,0	15,0	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480260	0930	B	+1A	2	80,5	15,5	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480264	1200	B	2A	1	75,0	16,5	2	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480265	1200	B	2A	2	73,0	14,5	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480266	1200	B	+1A	1	79,0	16,0	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA	5480267	1200	B	2A	2	73,0	14,8	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA	5480202	1000	C	+1A	2	0,0	14,0	1	FRP	MARTIN
28.01.07	168	9C-T	MOTFLA	5480234	1100	B	+1A	1	80,0	17,3	1	FRP	MARTIN
28.01.07	168	9C-T	MOTFLA	5480239	1100	B	2A	2	78,0	15,0	1	FRP	MARTIN
28.01.07	168	9C-T	MOTFLA	5480243	1800	B	2A	2	77,0	15,0	1	FRP	MARTIN
29.01.07	180	9C-T	MOTFLA	5480256	0930	B	+1A	1	80,0	16,4	1	FRP	MARTIN

29.01.07	180	9C-T	MOTFLA	5480262	1200	B	+1A	1	77,0	14,5	1	FRP	MARTIN
29.01.07	180	9C-T	MOTFLA	5480263	1200	B	+1A	1	83,0	18,0	2	FRP	MARTIN
28.01.07	168	9C-T	MOTFLA	5480222	1800	C	+1A	1	0,0	17,7	1	FRP	MARTIN
28.01.07	160	9D	MOTFLA	5480153	0915	B	2A	2	72,5	14,3	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480158	1030	B	+1A	2	76,0	14,7	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480159	1030	B	+2A	1	78,0	18,4	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480160	1030	B	2A	2	77,5	15,4	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480161	1030	B	2A	1	76,0	15,3	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480162	1030	B	2A	2	80,0	15,7	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480164	1030	B	+2A	2	77,0	15,0	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480167	1130	B	+2A	2	80,0	16,4	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480168	1130	B	+2A	2	79,0	16,0	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480169	1130	B	2A	2	80,0	15,0	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480170	1815	B	2A	1	0,0	16,2	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480171	1815	B	+2A	2	78,5	17,0	1	FRP	BENEDIKT
29.01.07	162	9D	MOTFLA	5480177	0845	B	+2A	2	79,5	16,2	1	FRP	BENEDIKT
29.01.07	162	9D	MOTFLA	5480179	0845	B	2A	1	77,0	15,6	1	FRP	BENEDIKT
29.01.07	162	9D	MOTFLA	5480180	0845	B	+2A	1	78,0	15,7	1	FRP	BENEDIKT
29.01.07	162	9D	MOTFLA	5480184	0945	B	+2A	2	78,5	15,4	1	FRP	BENEDIKT
28.01.07	160	9D	MOTFLA	5480153	1130	C	+1A		0,0	14,5	1	FRP	BENEDIKT
24.01.07	312	8	MOTFLA FLA	5487132	1730	B	2A	1	81,0	18,4	2	FRP	JULIO
25.01.07	312	8	MOTFLA FLA	5487167	0930	B	2A	1	77,0	16,0	1	FRP	JULIO
24.01.07	90	4	MOTFLA IBE	5487113	0800	B	+2A	1	81,0	18,0	1	FRP	BENEDIKT
24.01.07	312	8	MOTFLA IBE	5487128	1730	B	+2A	1	82,0	19,7	2	FRP	JULIO
24.01.07	312	8	MOTFLA IBE	5487129	1730	B	+2A	1	78,0	17,5	2	FRP	JULIO
24.01.07	312	8	MOTFLA IBE	5487133	1730	B	2A	1	78,0	18,3	2	FRP	JULIO
24.01.07	312	8	MOTFLA IBE	5487135	1830	B	+2A	1	82,5	16,5	2	FRP	JULIO
25.01.07	312	8	MOTFLA IBE	5487147	0730	B	2A	1	79,0	15,4	1	FRP	JULIO
25.01.07	312	8	MOTFLA IBE	5487151	0830	B	2A	1	76,0	15,4	1	FRP	JULIO
25.01.07	312	8	MOTFLA IBE	5487154	0830	B	+2A	1	81,0	17,3	1	FRP	JULIO
25.01.07	312	8	MOTFLA IBE	5487155	0830	B	+2A	1	84,0	21,2	3	FRP	JULIO
25.01.07	312	8	MOTFLA IBE	5487183	1130	B	+2A	1	82,0	16,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487203	0730	B	2A	1	80,0	15,2	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487210	0900	B	2A	1	81,0	17,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487211	0900	B	2A	1	79,0	16,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487215	0900	B	2A	1	78,0	16,5	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487216	0900	B	+2A	1	83,5	20,3	2	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487218	0900	B	+2A	1	83,0	18,4	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487219	0900	B	+2A	1	81,5	17,2	1	FRP	JULIO
26.01.07	336	8	MOTFLA	5487221	0900	B	+2A	1	82,0	15,9	1	FRP	JULIO

			IBE										
26.01.07	336	8	MOTFLA IBE	5487222	1100	B	+2A		81,5	15,9	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487223	1100	B	2A	1	78,5	16,3	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487224	1100	B	2A	2	76,0	15,6	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487225	1100	B	+2A	2	79,5	14,7	1	FRP	JULIO
26.01.07	336	8	MOTFLA IBE	5487226	1100	B	+2A	1	80,0	15,8	1	FRP	JULIO
06.02.07	180	13	MOTFLA IBE	5480393	0800	B	+1A		76,5	15,1	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480400	0900	B	2A	1	80,0	14,6	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480401	1000	B	2A	1	80,0	15,8	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480402	1000	B	+1A	2	77,5	15,5	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480404	1030	B	+1A	1	83,0	17,1	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480410	1730	B	+1A	1	79,0	18,7	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480411	1730	B	+1A	1	83,0	16,9	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480412	1830	B	2A	2	76,5	15,6	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480413	1830	B	2A	1	81,5	16,8	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480415	1830	B	+1A	2	80,0	16,9	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480421	1900	B	+1A	2	79,0	15,0	1	FRP	VOLKER
07.02.07	180	13	MOTFLA IBE	5480447	1000	B	+2A	1	82,0	21,2	2	FRP	VOLKER
07.02.07	180	13	MOTFLA IBE	5480450	1100	B	2A	1	78,0	15,0	1	FRP	VOLKER
07.02.07	180	13	MOTFLA IBE	5480452	1130	B	2A	2	74,5	13,2	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480481	0830	B	+1A	2	77,5	15,6	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480483	0830	B	+1A	1	82,5	16,8	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480488	0930	B	+1A	2	77,0	15,5	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480490	0930	B	2A	2	76,0	14,7	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480491	0930	B	+1A	1	81,0	16,5	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480492	0930	B	+1A	1	83,0	18,9	1	FRP	VOLKER
08.02.07	180	13	MOTFLA IBE	5480494	0930	B	+1A	2	76,5	16,0	1	FRP	VOLKER
06.02.07	180	13	MOTFLA IBE	5480404	1830	C	+1A	1	0,0	17,2	1	FRP	VOLKER
27.01.07	180	10A	MOTFLA IBE	5464118	0900	B	+2A	1	83,0	18,0	1	FRP	JULIO
27.01.07	204	10A	MOTFLA IBE	5464137	1830	B	2A	1	76,0	16,0	1	FRP	JULIO
25.01.07	180	10A	MOTFLA IBE	5487186	1200	B	+2A	1	77,5	17,8	2	FRP	JULIO
25.01.07	180	10A	MOTFLA IBE	5487187	1200	B	2A	1	78,5	17,5	2	FRP	JULIO
25.01.07	180	10A	MOTFLA IBE	5487188	1200	B	+2A	1	83,5	16,1	1	FRP	JULIO

25.01.07	180	10A	MOTFLA IBE	5487190	1830	B	+2A	1	81,0	18,4	1	FRP	JULIO
25.01.07	180	10A	MOTFLA IBE	5487193	1900	B	2A	1	79,0	17,2	2	FRP	JULIO
25.01.07	12	10B	MOTFLA IBE	5464103	1830	B	2A	1	79,0	15,2	1	FRP	JULIO
30.01.07	36	10B	MOTFLA IBE	5464196	0930	B	+1A	1	79,5	12,8	1	FRP	ANATOLY
31.01.07	60	10B	MOTFLA IBE	5464243	1030	B	2A	1	79,5	15,0	1	FRP	ANGELA
25.01.07	12	10B	MOTFLA IBE	5487184	1130	B	+2A	1	83,5	18,0	2	FRP	JULIO
25.01.07	48	10B	MOTFLA IBE	5487189	1730	B	+2A	1	79,5	16,9	2	FRP	JULIO
25.01.07	12	10B	MOTFLA IBE	5487230	1215	B	+2A	1	80,5	16,5	1	FRP	JULIO
27.01.07	85	10B	MOTFLA IBE	5487238	1700	B	+2A	1	80,5	16,7	1	FRP	JULIO
01.02.07	168	12A	MOTFLA IBE	5480288	0830	B	+1A	1	82,5	16,5	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480289	0830	B	+1A	1	83,0	16,3	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480290	0830	B	+1A	1	78,0	13,4	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480291	0830	B	+1A	1	84,0	16,0	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480292	0830	B	+1A	1	80,5	15,8	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480302	1000	B	+1A	1	82,0	15,9	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480303	1000	B	+1A	2	74,5	13,7	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480308	1000	B	+1A	2	78,0	14,2	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480315	1700	B	+1A	1	81,0	16,8	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480317	1730	B	+1A	1	80,0	15,1	1	FRP	MARTIN
01.02.07	168	12A	MOTFLA IBE	5480333	1900	B	2A	2	75,0	14,7	1	FRP	MARTIN
02.02.07	168	12A	MOTFLA IBE	5480347	0830	B	+1A	1	80,0	15,0	1	FRP	VOLKER
02.02.07	168	12A	MOTFLA IBE	5480363	1130	B	+1A		81,5	16,5	1	FRP	VOLKER
05.02.07	144	12A	MOTFLA IBE	5480383	0900	B	+1A	1	83,0	18,5	1	FRP	VOLKER
05.02.07	144	12A	MOTFLA IBE	5480384	0900	B	2A	1	77,0	15,8	1	FRP	VOLKER
01.02.07	156	12B	MOTFLA IBE	5464278	1200	B	+2A	1	76,0	14,4	1	FRP	ANGELA
02.02.07	130	12B	MOTFLA IBE	5480360	1100	B	+1A	1	79,5	15,2	1	FRP	ANGELA
01.02.07	168	12T	MOTFLA IBE	5480310	1100	B	+1A	1	83,5	16,4	1	FRP	MARTIN
07.02.07	180	13T	MOTFLA IBE	5480449	1000	B	+1A	1	82,0	16,8	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA IBE	5480471	1830	B	+1A	1	80,5	19,0	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA IBE	5480472	1830	B	+1A	2	79,0	15,9	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA IBE	5480473	1830	B	+1A	2	76,0	15,2	1	FRP	VOLKER
07.02.07	180	13T	MOTFLA IBE	5480475	1830	B	2A	2	76,0	16,0	1	FRP	VOLKER
08.02.07	180	13T	MOTFLA IBE	5480495	0930	B	2A	2	78,0	16,2	1	FRP	VOLKER

07.02.07	180	13T	MOTFLA IBE	5480449	1730	C	+1A	1	0,0	17,1	1	FRP	VOLKER
21.01.07	84	2A	MOTFLA IBE	5464053	1000	B	+2?	1	83,5	16,7	1	FRP	JULIO
03.02.07	72	2A	MOTFLA IBE	5464367	1700	B	+1A	1	78,0	16,2	1	FRP	JULIO
27.01.07	168	9C	MOTFLA IBE	5480203	1830	B	+1A	1	81,5	16,7	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480221	1000	B	+1A	1	75,0	17,0	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480222	1000	B	+1A	1	82,0	17,8	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480223	1000	B	+1A	1	81,5	17,8	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480225	1000	B	+1A	1	85,0	21,5	3	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480232	1100	B	+1A	1	77,5	16,2	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480235	1100	B	+1A	1	77,0	16,3	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480237	1100	B	+1A	1	81,5	19,8	2	FRP	MARTIN
29.01.07	180	9C	MOTFLA IBE	5480258	0930	B	+1A		78,0	14,5	1	FRP	MARTIN
29.01.07	180	9C	MOTFLA IBE	5480261	0930	B	+1A		78,0	16,3	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480203	1200	C	+1A		0,0	15,5	1	FRP	MARTIN
28.01.07	168	9C	MOTFLA IBE	5480214	1100	C	+1A	1	0,0	20,8	2	FRP	MARTIN
03.02.07	72	2A	OENOEN	SC96001	1000	B	+1A		107,0	28,3	1	FRP	JULIO
06.02.07	60	2B	PHOPHO	5464489	1000	B	2A	1	81,5	13,2	1	FRP	JULIO
18.01.07	24	0	PHYCOL	RG8001	1800	B	+1A		0,0	7,2	1	FRP	
20.01.07	108	1	PHYCOL	RG8002	0930	B	2A		62,0	8,2	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8003	0800	B	+1A		62,0	7,9	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8004	0800	B	+1A		57,5	6,7	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8005	0800	B	+1A		60,0	7,0	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8006	0800	B	+1A		58,0	6,6	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8007	0900	B	+1A		65,0	8,2	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8008	0900	B	+1A		56,0	6,4	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8009	0900	B	+1A		57,0	6,6	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8010	0900	B	+1A		61,5	7,1	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8011	1030	B	+1A		56,0	6,3	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8012	1030	B	+1A		63,5	7,6	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8013	1130	B	+1A		55,5	6,1	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8014	1130	B	+1A		57,5	6,7	1	FRP	BENEDIKT
21.01.07	180	1	PHYCOL	RG8015	1145	B	+1A		58,0	6,5	1	FRP	BENEDIKT
21.01.07	228	3	PHYCOL	RF6008	1745	B	+1A		58,0	0,0	1	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6009	0730	B	2A?		58,5	6,9	1	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6011	0730	B	+2?		64,5	8,4	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6012	0730	B	+1A		57,0	6,8	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6013	0730	B	+1A		62,0	7,4	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6014	0900	B	+1A		56,5	7,4	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6016	0900	B	+1A		62,5	7,3	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6017	1000	B	+1A		58,5	6,8	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6019	1100	B	+1A		57,5	8,8	2	FRP	JULIO
22.01.07	228	3	PHYCOL	RF6020	1100	B	+1A		61,0	8,2	2	FRP	JULIO

22.01.07	228	3	PHYCOL	RF6021	1200	B	+1A		62,5	9,2	2	FRP	JULIO
21.01.07	180	3	PHYCOL	RF6401	0700	B	+1A		62,0	6,7	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6402	0800	B	+1A		58,0	6,6	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6403	0800	B	+1A		66,0	9,5	2	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6405	0800	B	+1A		57,0	6,5	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6406	0900	B	+1A		64,0	7,7	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6407	0900	B	+1A		63,0	8,4	2	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6409	1100	B	+1A		55,0	6,5	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6410	1130	B	+1A		57,0	6,3	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6411	1130	B	+1A		64,0	7,6	1	FRP	MARTIN
21.01.07	180	3	PHYCOL	RF6412	1200	B	+1A		56,0	6,3	1	FRP	MARTIN
22.01.07	108	4	PHYCOL	RG8016	0800	B	+1A		63,5	8,6	1	FRP	BENEDIKT
22.01.07	108	4	PHYCOL	RG8017	0830	B	+1A		55,0	6,5	1	FRP	BENEDIKT
22.01.07	108	4	PHYCOL	RG8018	0830	B	+1A		57,5	6,3	1	FRP	BENEDIKT
22.01.07	108	4	PHYCOL	RG8019	1100	B	+1A		58,0	6,9	1	FRP	BENEDIKT
22.01.07	108	4	PHYCOL	RG8020	1100	B	+1A		57,0	6,8	1	FRP	BENEDIKT
22.01.07	84	4	PHYCOL	RG8021	1800	B	+1A		56,0	6,6	1	FRP	BENEDIKT
22.01.07	84	4	PHYCOL	RG8022	1900	B	+1A		58,0	6,6	1	FRP	BENEDIKT
23.01.07	108	4	PHYCOL	RG8023	0730	B	+1A		57,0	6,3	1	FRP	BENEDIKT
23.01.07	108	4	PHYCOL	RG8024	0800	B	2A		59,0	6,2	1	FRP	BENEDIKT
23.01.07	70	4	PHYCOL	RG8025	1800	B	+1A		65,0	9,2	1	FRP	BENEDIKT
23.01.07	70	4	PHYCOL	RG8026	1900	B	+1A		56,5	6,3	1	FRP	BENEDIKT
24.01.07	90	4	PHYCOL	RG8027	0800	B	+1A		64,0	7,7	1	FRP	BENEDIKT
24.01.07	90	4	PHYCOL	RG8028	0830	B	+1A		62,5	7,8	1	FRP	BENEDIKT
24.01.07	90	4	PHYCOL	RG8029	0830	B	+1A		56,0	5,8	1	FRP	BENEDIKT
22.01.07	84	5	PHYCOL	5511014	0800	B	+1A		59,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6501	0730	B	+1A		58,0	7,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6502	0800	B	+1A		65,0	7,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6503	0800	B	+1A		56,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6504	0800	B	+1A		0,0	7,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6505	0900	B	+1A		52,0	6,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6506	0900	B	+1A		57,0	0,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6507	0900	B	+1A		56,0	7,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6508	1000	B	+1A		56,0	8,0	1	FRP	STEPHAN
22.01.07	84	5	PHYCOL	RF6509	1000	B	+1A		60,0	7,0	1	FRP	STEPHAN
23.01.07	96	5	PHYCOL	RF6510	0745	B	+1A		55,0	6,0	1	FRP	MARTIN
23.01.07	96	5	PHYCOL	RF6511	0745	B	+1A		62,0	10,0	2	FRP	MARTIN
23.01.07	96	5	PHYCOL	RF6512	0745	B	+1A		62,0	9,0	1	FRP	MARTIN
23.01.07	96	5	PHYCOL	RF6513	0745	B	+1A		59,0	8,0	1	FRP	MARTIN
24.01.07	120	5	PHYCOL	RF6514	0800	B	+1A		58,0	6,5	2	FRP	MARTIN
24.01.07	120	5	PHYCOL	RF6515	0800	B	+1A		63,0	7,0	1	FRP	MARTIN
24.01.07	120	5	PHYCOL	RF6516	0800	B	+1A		58,0	7,5	1	FRP	MARTIN
23.01.07	84	7	PHYCOL	RF6022	0715	B	+1A		62,5	10,5	3	FRP	JULIO
23.01.07	84	7	PHYCOL	RF6023	1900	B	+1A		64,0	6,5	2	FRP	JULIO
07.02.07	146	11	PHYCOL	RF6455	1000	B	+1A		63,0	7,4	1	FRP	OSKARS
07.02.07	146	11	PHYCOL	RF6456	1900	B	+1A		61,0	8,5	2	FRP	OSKARS
08.02.07	146	11	PHYCOL	RF6456	0830	C	+1A		0,0	8,0		FRP	OSKARS
06.02.07	180	13	PHYCOL	RF6709	0730	B	+1A		60,5	7,0	1	FRP	VOLKER
06.02.07	180	13	PHYCOL	RF6710	1030	B	+1A		57,0	7,9	1	FRP	VOLKER
06.02.07	180	13	PHYCOL	RF6711	1900	B	+1A		62,0	9,2	1	FRP	VOLKER

06.02.07	180	13	PHYCOL	RF6712	1900	B	+1A		61,0	7,2	1	FRP	VOLKER
06.02.07	180	13	PHYCOL	RF6713	1900	B	+1A		62,5	9,5	2	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6715	1000	B	+1A		61,5	9,5	1	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6716	1730	B	+1A		58,0	7,0	1	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6717	1730	B	+1A		58,5	8,7	2	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6718	1830	B	+1A		62,0	7,9	1	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6719	1830	B	+1A		62,0	10,0	2	FRP	VOLKER
08.02.07	180	13	PHYCOL	RF6720	0830	B	+1A		62,0	7,7	1	FRP	VOLKER
07.02.07	180	13	PHYCOL	RF6710	1730	C	+1A		0,0	6,5	1	FRP	VOLKER
01.02.07	168	12A	PHYCOL	RF6704	0830	B	+1A		63,0	7,5	1	FRP	MARTIN
02.02.07	168	12A	PHYCOL	RF6705	0830	B	+1A		63,0	7,2	1	FRP	VOLKER
02.02.07	130	12B	PHYCOL	RF6706	1100	B	+1A		60,0	6,7	1	FRP	ANGELA
07.02.07	180	13T	PHYCOL	RF6714	0830	B	+1A		65,0	10,0	2	FRP	VOLKER
03.02.07	24	14A	PHYCOL	RF6446	0900	B	+1A		57,0	7,0	2	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6447	0900	B	+1A		63,0	9,5	3	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6448	0900	B	+1A		62,0	9,7	3	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6449	0900	B	+1A		65,0	10,5	3	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6450	0900	B	+1A		64,0	10,5	3	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6451	0900	B	+1A		59,0	6,5	1	FRP	OSKARS
03.02.07	24	14A	PHYCOL	RF6452	0900	B	+1A		62,0	10,5	1	FRP	OSKARS
03.02.07	24	14B	PHYCOL	RF6707	1030	B	+1A		55,0	6,5	1	FRP	VOLKER
03.02.07	24	14B	PHYCOL	RF6708	1100	B	+1A		64,5	7,3	1	FRP	VOLKER
20.01.07	84	2A	PHYCOL	RF6001	0930	B	2A?		60,5	7,6	2	FRP	JULIO
20.01.07	84	2A	PHYCOL	RF6002	1130	B	+1A		63,5	9,0	3	FRP	JULIO
20.01.07	84	2A	PHYCOL	RF6003	1200	B	+1A		55,5	6,3	2	FRP	JULIO
20.01.07	84	2A	PHYCOL	RF6004	1200	B	+1A		64,5	8,3	2	FRP	JULIO
21.01.07	84	2A	PHYCOL	RF6006	1000	B	+1A		64,0	8,3	2	FRP	JULIO
21.01.07	84	2A	PHYCOL	RF6007	1100	B	+1A		59,5	6,9	2	FRP	JULIO
02.02.07	72	2A	PHYCOL	RF6025	1915	B	+1A		58,0	7,3	1	FRP	JULIO
02.02.07	72	2A	PHYCOL	RF6026	1915	B	+1A		57,0	6,7	1	FRP	JULIO
02.02.07	72	2A	PHYCOL	RF6028	0900	B	+1A		64,0	7,4	1	FRP	JULIO
03.02.07	72	2A	PHYCOL	RF6029	1000	B	+1A		58,5	6,4	1	FRP	JULIO
03.02.07	72	2A	PHYCOL	RF6030	1000	B	+1A		64,0	9,8	1	FRP	JULIO
04.02.07	72	2A	PHYCOL	RF6031	1000	B	+1A		58,0	6,8	1	FRP	JULIO
04.02.07	72	2A	PHYCOL	RF6032	1030	B	+1A		63,5	8,8	1	FRP	JULIO
04.02.07	72	2A	PHYCOL	RF6033	1030	B	+1A		57,0	6,8	1	FRP	JULIO
04.02.07	72	2A	PHYCOL	RF6034	1030	B	+1A		56,5	7,0	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6035	1700	B	+1A		57,5	6,7	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6036	1730	B	+1A		57,0	6,2	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6037	1730	B	+1A		57,5	7,2	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6038	1730	B	+1A		58,5	8,7	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6039	1730	B	+1A		63,0	11,1	2	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6040	1730	B	+1A		58,0	6,7	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6041	1730	B	+1A		57,0	6,5	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6042	1800	B	+1A		58,0	7,1	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6043	1800	B	+1A		57,5	6,8	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6044	1930	B	+1A		58,5	7,2	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6045	1930	B	+1A		54,5	6,0	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6046	1930	B	+1A		56,0	6,3	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6047	1930	B	+1A		57,0	6,5	1	FRP	JULIO

05.02.07	36	2A	PHYCOL	RF6048	1930	B	+1A		62,0	9,0	2	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6049	1930	B	+1A		57,0	7,2	2	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6050	1930	B	+1A		58,0	6,0	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6051	1930	B	+1A		63,5	7,5	1	FRP	JULIO
05.02.07	36	2A	PHYCOL	RF6052	1930	B	+1A		58,0	7,5	2	FRP	JULIO
21.01.07	84	2A	PHYCOL	RF6413	1800	B	+1A		56,0	6,5	1	FRP	MARTIN
21.01.07	84	2A	PHYCOL	RF6414	1830	B	+1A		64,0	8,0	1	FRP	MARTIN
21.01.07	84	2A	PHYCOL	RF6415	1830	B	+1A		65,0	10,5	2	FRP	MARTIN
22.01.07	84	2A	PHYCOL	RF6416	0900	B	+1A		58,0	6,8	1	FRP	MARTIN
22.01.07	84	2A	PHYCOL	RF6417	1030	B	+1A		64,0	9,0	2	FRP	MARTIN
03.02.07	24	2A	PHYCOL	RF6453	1830	B	+1A		64,0	10,5	2	FRP	OSKARS
03.02.07	24	2A	PHYCOL	RF6454	1915	B	+1A		61,0	8,5	1	FRP	OSKARS
06.02.07	60	2B	PHYCOL	RF6054	0700	B	+1A		61,0	8,2	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6055	0700	B	+1A		59,0	6,0	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6056	0700	B	+1A		57,0	6,0	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6057	0800	B	+1A		58,5	6,7	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6058	0900	B	+1A		58,0	6,6	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6059	1000	B	+1A		59,0	8,7	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6060	1030	B	+1A		57,5	6,2	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6061	1030	B	2A		63,5	7,6	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6062	1030	B	2A		63,5	10,2	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6063	1030	B	+1A		63,5	8,8	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6064	1130	B	+1A		56,0	6,6	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6065	1130	B	+1A		56,0	6,5	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6066	1130	B	+1A		56,0	6,4	1	FRP	JULIO
06.02.07	60	2B	PHYCOL	RF6067	1130	B	+1A		58,0	7,2	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6068	0900	B	+1A		56,0	5,7	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6069	0930	B	+1A		67,0	11,7	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6070	0930	B	+1A		64,0	9,2	2	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6071	1000	B	+1A		60,0	6,8	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6073	1000	B	2A		58,5	9,2	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6074	1030	B	+1A		58,0	8,0	2	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6075	1030	B	2A		59,0	6,2	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6076	1030	B	2A		57,5	6,6	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6078	1200	B	+1A		58,0	7,3	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6080	1200	B	+1A		59,0	7,2	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6081	1700	B	+1A		52,0	6,5	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6082	1700	B	+1A		58,0	6,8	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6083	1700	B	+1A		60,5	7,2	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6084	1700	B	+1A		58,5	8,8	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6085	1700	B	+1A		58,0	6,9	1	FRP	JULIO
07.02.07	60	2B	PHYCOL	RF6086	1800	B	+1A		57,5	6,6	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6087	0900	B	+1A		57,5	6,5	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6088	0900	B	2A		64,0	8,8	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6089	0900	B	2A		56,0	6,7	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6090	1000	B	+1A		65,0	9,0	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6091	1000	B	2A		56,0	6,3	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6092	1000	B	2A		56,0	7,1	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6093	1000	B	2A		55,0	6,1	1	FRP	JULIO
08.02.07	60	2B	PHYCOL	RF6094	1000	B	+2A		60,0	6,7	1	FRP	JULIO

08.02.07	60	2B	PHYCOL	RF6095	1130	B	+2A		56,0	7,3	2	FRP	JULIO
07.02.07	60	2B	PHYCOL	BRK768	1000	C	+1A		57,0	6,2	1	GBT	JULIO
24.01.07	200	9A	PHYCOL	RF6418	1845	B	+1A		65,0	7,5	1	FRP	BENEDIKT
26.01.07	216	9A	PHYCOL	RF6431	0800	B	+1A		63,0	7,1	2	FRP	BENEDIKT
26.01.07	216	9A	PHYCOL	RF6432	0800	B	+1A		64,5	6,6	1	FRP	BENEDIKT
24.01.07	200	9B	PHYCOL	RF6419	1845	B	+1A		62,5	7,8	2	FRP	BENEDIKT
24.01.07	200	9B	PHYCOL	RF6420	1845	B	+1A		56,0	7,1	2	FRP	BENEDIKT
24.01.07	200	9B	PHYCOL	RF6421	1845	B	+1A		58,0	6,5	2	FRP	BENEDIKT
24.01.07	200	9B	PHYCOL	RF6422	1845	B	+1A		65,0	8,5	2	FRP	BENEDIKT
25.01.07	238	9B	PHYCOL	RF6423	1830	B	+1A		64,0	8,0	2	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6424	1830	B	+1A		63,0	9,7	2	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6425	1930	B	+1A		67,0	7,1	1	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6426	1930	B	+1A		60,0	8,0	1	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6427	1930	B	+1A		64,0	9,7	1	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6428	1930	B	+1A		63,0	8,3	1	FRP	MARTIN
25.01.07	238	9B	PHYCOL	RF6429	1930	B	+1A		61,5	7,7	1	FRP	MARTIN
26.01.07	216	9B	PHYCOL	RF6430	0700	B	+1A		65,5	8,3	1	FRP	BENEDIKT
26.01.07	216	9B	PHYCOL	RF6433	0800	B	+1A		67,5	6,3	1	FRP	BENEDIKT
26.01.07	216	9B	PHYCOL	RF6434	0800	B	+1A		60,5	9,0	2	FRP	BENEDIKT
26.01.07	216	9B	PHYCOL	RF6435	0800	B	+1A		62,0	8,0	2	FRP	BENEDIKT
26.01.07	216	9B	PHYCOL	RF6436	0800	B	+1A		58,0	7,1	1	FRP	BENEDIKT
26.01.07	318	9B	PHYCOL	RF6437	1900	B	+1A		63,0	9,1	1	FRP	BENEDIKT
27.01.07	238	9B	PHYCOL	RF6438	0900	B	+1A		55,0	6,5	1	FRP	MARTIN
27.01.07	238	9B	PHYCOL	RF6440	1100	B	+1A		56,0	6,3	1	FRP	MARTIN
27.01.07	168	9C	PHYCOL	RF6701	1900	B	+1A		62,0	8,3	1	FRP	MARTIN
27.01.07	168	9C	PHYCOL	RF6702	1900	B	+1A		62,0	8,0	1	FRP	MARTIN
27.01.07	168	9C	PHYCOL	RF6703	1900	B	2A		56,0	7,0	1	FRP	MARTIN
27.01.07	160	9D	PHYCOL	RF6441	1845	B	+1A		58,5	7,3	2	FRP	BENEDIKT
27.01.07	160	9D	PHYCOL	RF6442	1915	B	+1A		61,5	8,8	2	FRP	BENEDIKT
28.01.07	160	9D	PHYCOL	RF6443	0800	B	+1A		57,5	9,5	1	FRP	BENEDIKT
28.01.07	160	9D	PHYCOL	RF6444	1930	B	+1A		63,0	8,6	2	FRP	BENEDIKT
28.01.07	160	9D	PHYCOL	RF6445	1930	B	+1A		63,0	9,7	3	FRP	BENEDIKT
01.02.07	168	12T	PORPAR	GH115102	1000	B	+1A	1	108,5	101,0	1	FRP	MARTIN
23.01.07	84	6T	PORPAR	JA572103	0800	B	2A	2	105,5	42,0	1	FRP	MARTIN
26.01.07	336	8	PORPUS	JA572001	0900	B	+2A	2	94,0	43,6	2	FRP	JULIO
26.01.07	336	8	PORPUS	JA572002	0900	B	+1A					FRP	JULIO
28.01.07	222	10A	PORPUS	GA572002	1030	B	+2A	2	89,0	41,0	1	FRP	ANGELA
07.02.07	24	10B	PORPUS	JA572411	1030	B	+2A	1	93,0	46,5	1	FRP	ANGELA
02.02.07	130	12T	PORPUS	GH115103	0830	B	+2A	1	90,5	50,0	1	FRP	ANGELA
05.02.07	144	12T	PORPUS	GH115104	1030	B	2A		91,0	60,0	1	FRP	VOLKER
31.01.07	156	12T	PORPUS	JA572004	0800	B	+1A	2	95,0	34,0	1	FRP	ANGELA
01.02.07	156	12T	PORPUS	JA572005	0945	B	+1A		89,5	38,0	1	FRP	ANGELA
07.02.07	180	13T	PORPUS	JA572401	0830	B	2A		88,0	60,0	1	FRP	VOLKER
08.02.07	180	13T	PORPUS	JA572402	0730	B	+1A	2	84,0	0,0	1	FRP	VOLKER
21.01.07	84	2AT	PORPUS	JA572101	1830	B	2A	2	89,0	41,0	1	FRP	MARTIN
22.01.07	84	2AT	PORPUS	JA572102	0900	B	+2A	1	87,5	39,0	1	FRP	MARTIN
26.01.07	216	9A	PORPUS	JA572109	0800	B	2A		93,0	40,7	1	FRP	BENEDIKT
25.01.07	200	9A-T	PORPUS	JA572104	1015	B	+2A		103,0	46,8	1	FRP	BENEDIKT
26.01.07	216	9A-T	PORPUS	JA572108	0800	B	2A?		85,0	37,9	1	FRP	BENEDIKT
29.01.07	180	9C-T	PORPUS	GH115101	0800	B	+1A	3	92,0	40,0	1	FRP	MARTIN

24.01.07	312	8	RIPRIP	5487141	1830	B	+2A		102,0	13,2	1	FRP	JULIO
25.01.07	312	8	RIPRIP	5487145	0730	B	2A		105,0	10,8	2	FRP	JULIO
26.01.07	336	8	RIPRIP	5487202	0730	B	+1A		107,5	13,1	1	FRP	JULIO
26.01.07	336	8	RIPRIP	DP9953	0730	C	+1A		109,0	13,3	2	ESI	JULIO
07.02.07	146	11	RIPRIP	5475209	0900	B	+1A		107,0	12,7	1	FRP	OSKARS
07.02.07	146	11	RIPRIP	5475210	0900	B	+1A		107,0	11,9	1	FRP	OSKARS
07.02.07	146	11	RIPRIP	5475211	0900	B	+1A		0,0	10,5	1	FRP	OSKARS
07.02.07	146	11	RIPRIP	5475224	1900	B	+1A		0,0	0,0		FRP	OSKARS
07.02.07	146	11	RIPRIP	5475228	1900	B	+1A		0,0	0,0		FRP	OSKARS
08.02.07	146	11	RIPRIP	5475234	0830	B	+1A		112,0	11,9	1	FRP	OSKARS
08.02.07	146	11	RIPRIP	5475235	0830	B	+1A		107,0	10,5	1	FRP	OSKARS
08.02.07	146	11	RIPRIP	5475236	0830	B	+1A		102,0	11,0	1	FRP	OSKARS
06.02.07	180	13	RIPRIP	5480387	0730	B	+1A		117,5	11,3	1	FRP	VOLKER
06.02.07	180	13	RIPRIP	5480395	0900	B	+1A		103,0	11,9	1	FRP	VOLKER
06.02.07	180	13	RIPRIP	5480419	1900	B	+1A		117,0	12,1	1	FRP	VOLKER
06.02.07	180	13	RIPRIP	5480420	1900	B	+1A		116,0	11,9	1	FRP	VOLKER
06.02.07	180	13	RIPRIP	5480424	1900	B	+1A		116,5	11,6	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480433	0800	B	+1A		0,0	12,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480457	1730	B	+1A		0,0	11,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480458	1730	B	+1A		0,0	11,4	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480459	1730	B	+1A		0,0	11,5	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480460	1730	B	+1A		0,0	11,0	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480461	1830	B	+1A		0,0	14,3	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480462	1830	B	+1A		0,0	11,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480463	1830	B	+1A		0,0	11,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480464	1830	B	+1A		0,0	10,6	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480465	1830	B	+1A		0,0	11,0	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480466	1830	B	+1A		0,0	10,8	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480467	1830	B	+1A		0,0	10,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480468	1830	B	+1A		0,0	10,3	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480469	1830	B	+1A		102,0	11,2	1	FRP	VOLKER
07.02.07	180	13	RIPRIP	5480470	1830	B	+1A		0,0	10,1	1	FRP	VOLKER
08.02.07	180	13	RIPRIP	5480478	0730	B	+1A		106,0	12,2	1	FRP	VOLKER
08.02.07	180	13	RIPRIP	5480482	0830	B	+1A		117,0	12,5	1	FRP	VOLKER
25.01.07	180	10A	RIPRIP	5487195	1930	B	+1A		108,0	13,5	1	FRP	JULIO
25.01.07	180	10A	RIPRIP	5487197	1930	B	2A		104,5	11,7	2	FRP	JULIO
25.01.07	180	10A	RIPRIP	5487198	1930	B	+1A		105,0	12,6	2	FRP	JULIO
02.02.07	168	12A	RIPRIP	5480348	0830	B	+1A		0,0	12,2	1	FRP	VOLKER
01.02.07	130	12B	RIPRIP	5480330	1830	B	+1A		104,5	13,5	1	FRP	ANGELA
05.02.07	36	2A	RIPRIP	5464423	0730	B	+1A		115,0	11,8	1	FRP	JULIO
05.02.07	36	2A	RIPRIP	5464424	0730	B	+1A		110,0	11,7	1	FRP	JULIO
05.02.07	36	2A	RIPRIP	5464425	0730	B	+1A		102,0	11,0	1	FRP	JULIO
05.02.07	36	2A	RIPRIP	5464426	0730	B	+1A		106,0	12,2	2	FRP	JULIO
05.02.07	36	2A	RIPRIP	5464458	1930	B	+1A		101,5	11,3	1	FRP	JULIO
06.02.07	60	2B	RIPRIP	5464492	1000	B	+1A		107,5	12,0	1	FRP	JULIO
07.02.07	60	2B	RIPRIP	5464550	1730	B	2A		0,0	10,9	1	FRP	JULIO
07.02.07	60	2B	RIPRIP	5464551	1730	B	+1A		0,0	10,8	1	FRP	JULIO
27.01.07	238	9B	RIPRIP	5480141	1100	B	+1A		98,0	10,6	1	FRP	MARTIN
27.01.07	238	9B	RIPRIP	5480142	1100	B	+1A		107,0	11,4	2	FRP	MARTIN
27.01.07	238	9B	RIPRIP	5480143	1100	B	+1A		99,5	10,0	1	FRP	MARTIN

27.01.07	238	9B	RIPRIP	5480144	1100	B	+1A		109,5	12,7	2	FRP	MARTIN
29.01.07	162	9D	RIPRIP	5480181	0845	B	+1A		112,0	13,0	1	FRP	BENEDIKT
20.01.07	108	1	SYLCAN	5487006	0900	B	2A	1	58,0	8,7	1	FRP	BENEDIKT
21.01.07	180	1	SYLCAN	5487036	1200	B	2A	2	58,0	9,1	2	FRP	BENEDIKT
20.01.07	96	3	SYLCAN	5480004	1000	B	+1A	1	59,5	9,5	1	FRP	MARTIN
20.01.07	96	3	SYLCAN	5480008	1200	B	+1A	1	61,0	8,6	1	FRP	MARTIN
21.01.07	15	3	SYLCAN	5480012	0900	B	+2A	1	60,0	9,6	1	FRP	MARTIN
21.01.07	15	3	SYLCAN	5480014	0900	B	+1A	2	59,5	8,6	1	FRP	MARTIN
21.01.07	15	3	SYLCAN	5480015	0900	B	+1A	1	59,0	8,5	1	FRP	MARTIN
21.01.07	15	3	SYLCAN	5480016	0900	B	+2A	1	60,0	9,1	1	FRP	MARTIN
21.01.07	15	3	SYLCAN	5480020	1200	B	2A	2	56,0	0,0	1	FRP	MARTIN
22.01.07	228	3	SYLCAN	RF6010	0730	B	2A?	1	62,0	0,0	2	FRP	JULIO
22.01.07	228	3	SYLCAN	RF6015	0900	B	+2A	1	61,0	8,5	2	FRP	JULIO
22.01.07	228	3	SYLCAN	RF6018	1100	B	2A		59,0	9,7	2	FRP	JULIO
22.01.07	84	4	SYLCAN	5487072	1900	B	2A	1	59,5	9,8	1	FRP	BENEDIKT
22.01.07	84	4	SYLCAN	5487073	1900	B	2A	1	61,0	9,6	1	FRP	BENEDIKT
22.01.07	84	4	SYLCAN	5487075	1900	B	2A	1	59,0	9,9	1	FRP	BENEDIKT
24.01.07	90	4	SYLCAN	5487122	0830	B	2A	2	58,5	8,6	1	FRP	BENEDIKT
24.01.07	84	7	SYLCAN	RF6024	0730	B	2A	1	57,0	8,5	1	FRP	JULIO
25.01.07	312	8	SYLCAN	RG8030	1030	B	2A	1	59,0	8,8	1	FRP	JULIO
01.02.07	153	11	SYLCAN	5475119	0900	B	2A	1	57,0	8,3	1	FRP	BENEDIKT
08.02.07	146	11	SYLCAN	5475231	0830	B	+1A	4	59,0	8,5	1	FRP	OSKARS
06.02.07	180	13	SYLCAN	5480427	1900	B	2A	2	55,5	9,2	1	FRP	VOLKER
08.02.07	180	13	SYLCAN	5480479	0730	B	2A	2	58,0	9,2	1	FRP	VOLKER
01.02.07	72	10B	SYLCAN	5487323	1000	B	2A	1	59,0	8,1	1	FRP	JULIO
03.02.07	24	14A	SYLCAN	5475156	0900	B	+1A	2	61,0	9,3	1	FRP	OSKARS
04.02.07	72	2A	SYLCAN	5464416	1100	B	2A	2	59,0	0,0	1	FRP	JULIO
21.01.07	84	2A	SYLCAN	RF6005	1000	B	2A	1	59,0	9,1	2	FRP	JULIO
02.02.07	72	2A	SYLCAN	RF6027	0900	B	2A	1	59,0	9,1	1	FRP	JULIO
05.02.07	36	2A	SYLCAN	RF6053	1930	B	2A	1	60,0	8,8	1	FRP	JULIO
07.02.07	60	2B	SYLCAN	RF6072	1000	B	2A	1	60,0	9,2	1	FRP	JULIO
07.02.07	60	2B	SYLCAN	RF6077	1130	B	2A	2	60,0	9,8	1	FRP	JULIO
07.02.07	60	2B	SYLCAN	RF6079	1200	B	+2A	1	64,0	9,2	1	FRP	JULIO
24.01.07	200	9B	SYLCAN	5475008	1845	B	2A	1	62,0	8,8	2	FRP	BENEDIKT
24.01.07	200	9B	SYLCAN	5475010	1845	B	+2A	1	60,0	8,9	1	FRP	BENEDIKT
25.01.07	200	9B	SYLCAN	5475039	1115	B	+2A		61,0	10,5	1	FRP	BENEDIKT
25.01.07	200	9B	SYLCAN	5475045	1115	B	+2A	1	60,0	8,7	1	FRP	BENEDIKT
25.01.07	238	9B	SYLCAN	5475065	1930	B	2A	1	58,0	9,5	1	FRP	MARTIN
25.01.07	238	9B	SYLCAN	5475067	1930	B	+2A	2	57,5	8,8	1	FRP	MARTIN
28.01.07	168	9C	SYLCAN	5480245	1900	B	+1A	2	59,0	9,2	1	FRP	MARTIN
22.01.07	228	3	SYLCOM	5464074	0730	B	2A		72,0	14,5	2	FRP	JULIO
23.01.07	108	4	SYLCOM	5487093	0800	B	2A		70,0	11,7	1	FRP	BENEDIKT
07.02.07	146	11	SYLCOM	5475204	0900	B	+1A		70,0	13,0	1	FRP	OSKARS
03.02.07	24	14A	SYLCOM	5475154	0900	B	+1A		73,0	14,0	1	FRP	OSKARS
20.01.07	84	2A	SYLCOM	5464002	0930	B	+1A	4	70,5	14,0	2	FRP	JULIO
03.02.07	72	2A	SYLCOM	5464360	1000	B	2A		70,0	11,4	1	FRP	JULIO